

## BIBLIOGRAPHY

## 9. Bibliography

- Acker, S. A. Van, Berg, D. J. Van den, Tromp, M. N., Griffioen, D. H., Bennekom, W. P. Van, Vijgh, W. J. Van den, Bast, A. (1996), Structural aspects of antioxidant activity of flavonoids. *Free Radic. Biol. Med.*, **20**, 331-342.
- Agarwal, S., Rao, A. V. (2000), Tomato lycopene and its role in human health and chronic diseases. *Canadian Medical Association Journal*, **163**, 739-744.
- Ahmad, J. I. (1996), Free radicals and health: Is vitamin E the answer? *Food Science and Technology Today*, **10**, 147-152.
- Ahmad, V. U., Abbasi, M. A., Zubair, M., Fatima, N., Farooq, U., Choudhary, M. I. (2004), Phosphodiesterase-inhibiting glycosides from *Symplocos racemosa*. *Helv. Chim. Acta*, **87**, 67-72.
- Aitken, S. M., Ouellet, M., Percival, M. D., English, A. M. (2003), Mechanism of horseradish peroxidase inactivation by benzhydrazide: A critical evaluation of arylhydrazides as peroxidase inhibitors. *Biochem. J.*, **375**, 613-621.
- Aitken, J., Fisher, H. (1994), Reactive oxygen species generation and human spermatozoa: The balance of benefit and risk. *Bioassays*, **16**, 259-267.
- d'Alonzo, A. J., Hess, Th. A., Darbenzio, R. B., Sewter, J. C. (1993), Effects of intracoronary cromakalim, pinacidil, or diltiazem on cesium chloride-induced arrhythmias in anesthetized dogs under conditions of controlled coronary blood flow. *J. Cardiovasc. Pharmacol.*, **21**, 677.
- Andreadou, I., Tasouli, A., Bofilis, E., Chrysselis, M., Rekka, E., Tsantili-kakoulidou, A., Iliodromitis, E., Siatra, T., Kremastinos, D. T. (2002), Antioxidant activity of novel indole derivatives and protection of the myocardial damage in rabbits. *Chem. Pharm. Bull.*, **50**, 165-168.
- Aoki, K., Sato, K., Kondo, S., Yamamoto, M. (1983), Hypotensive effects of diltiazem to normals and essential hypertensives, *Eur. J. Clin. Pharmacol.*, **25**, 475-480.

- Armstrong, D. (1998), *In Free Radical and Antioxidant Protocols: Simple assay for the level of total lipid peroxides in serum and plasma*. Humana Press Inc., Totowa, New Jersey, pp. 101-106.
- Aruoma, O. I. (1994), Nutrition and health aspects of free radicals and antioxidants. *Food Chem. Toxicol.*, **32**, 671-683.
- Aust, A. E., Eveleigh, J. F. (1999), Mechanism of DNA oxidation. *Proc. Soc. Exp. Biol. Med.*, **222**, 246-252.
- Aust, S. D., Roerig, D. L., Pederson, T. C. (1972), Evidence for superoxide generation by NADPH-cytochrome c reductase of rat liver microsomes. *Biochem. Biophys. Res. Comm.*, **47**, 1133-1137.
- Baeza, T. H., Guzmán, M., Ortega, P., Vera, L. (2003), Corrosion inhibition of copper in 0.5 M hydrochloric acid by 1,3,4-thiadiazole-2,5-dithiol. *J. Chil. Chem. Soc.*, **48**, 23-26.
- Bai, Y., Hayashi, R., Hata, T. (1975), Kinetic studies of carboxypeptidase activities. *J. Biochem. (Tokyo)*, **77**, 81.
- Bakonyi, T., Radak, Z. (2004), High altitude and free radicals. *Journal of Sports Science and Medicine*, **3**, 64-69.
- Beckman, J. S., Crow, J. P. (1993), Pathological implications of nitric oxide, superoxide and peroxynitrite formation. *Biochem. Soc. Trans.*, **21**, 330-334.
- Belusa, J., Hruskova, V., Haas, Z., Kaminska, Z., Picha, F., Dusek, J., Trefulka, M., Kysilka, V., Wojnar, V. (1992), **213**, CS 274, *Chem. Abstr.*, (1992), **118**, 254970b.
- Bergmeyer, H. U., Horder, M., Rej, R. (1980), IFCC methods for the measurement of catalytic concentrations of enzymes. Part 3, IFCC. Method for alanine aminotransferase (*L*-alanine: 2-oxoglutarate aminotransferase, EC 2.6.1.2). *Clin. Chim. Acta.*, **105**, 145F-72F.

- Bergmeyer, H. U., Horder, M., Rej, R. (1986), International Federation of Clinical Chemistry (IFCC) Scientific Committee, Analytical Section: Approved recommendation (1985) on IFCC methods for the measurement of catalytic concentration of enzymes. Part 2. IFCC method for aspartate aminotransferase (L-aspartate: 2-oxoglutarate aminotransferase, EC 2.6.1.1). *J. Clin. Chem. Clin. Biochem.*, **24**, 497-510.
- Berridge, M. V., McCoy, T. K. D., Wang, R. (1996), The biochemical and cellular basis of cell proliferation assays that use tetrazolium salts. *Biochemica*, **4**, 14-19.
- Biagi, G., Giorgi, I., Pacchini, F., Livi, O., Scartoni, V. (2001), 2-Alkoxyalkylthiohypoxanthines as new potent inhibitors of xanthine oxidase. *II Farmaco*, **56**, 809-813.
- Blois, M. S. (1958), Antioxidant determinations by the use of a stable free radical. *Nature*, **181**, 1199-1200.
- Bock, M. G., Dipardo, R. M., Evans, B. E., Rittle, K. E., Whittner, W. L., Veber, D. F., Anderson, P. S., Freidinger, R. M. (1989), Benzodiazepine gastrin and brain cholecystokinin receptor ligands: L-365,260. *J. Med. Chem.*, **32**, 13-16.
- Boje, K., Lechtenberg, M., Nahrstedt, A. (2003), New and known iridoid and phenylethanoid glycosides from *Harpagophytum procumbens* and their *in vitro* inhibition of human leukocyte elastase. *Planta Medica*, **69**, 820-825.
- Borges, F., Fernandes, Roleira, F. (2002), Progress towards the discovery of xanthine oxidase inhibitors. *Current Medicinal Chemistry*, **9**, 195-217.
- Boschelli, D. H., Connor, D. T., Bornemeier, D. A., Dyer, R. D., Kennedy, J. A., Kuipers, P. J., Okonkwo, G. C., Schrier, D. J., Wright, C. D. (1993), 1,3,4-Oxadiazole, 1,3,4-thiadiazole, and 1,2,4-triazole analogs of the fenamates: *In vitro* inhibition of cyclooxygenase and 5-lipoxygenase activities. *J. Med. Chem.*, **36**, 1802-1810.

- Burton, G. W., Ingold, K. U. (1981), Autooxidation of biological molecules. 1. The antioxidant activity of vitamin E and related chain-breaking phenolic antioxidants *in vitro*. *J. Am. Chem. Soc.*, **103**, 6472-6477.
- Chaffman, M., Brogden, R. N. (1985), Diltiazem: A review of its pharmacological properties and therapeutic efficacy. *Drugs*, **29**, 387-454.
- Chaia, B., Qianb, X., Caoa, S., Liua, H., Songa, G. (2003), Synthesis and insecticidal activity of 1,2,4-triazole derivatives. *ARKIVOC*, **ii**, 141-145.
- Chaudhari, A., Chaturvedi, A. K., Ayal, D. D., Parmar S. S. (1972), Antiacetylcholinesterase activity of substituted cinnamides. *Indian J. Pharmac.*, **4**, 1-7.
- Cheeseman, K. H. (1993), Mechanisms and effects of lipid peroxidation. *Mol. Aspects Med.*, **14**, 191-197.
- Cheeseman, K. H., Slater, T. F. (1993), An introduction to free radical biochemistry. *British Medical Bulletin*, **49**, 481-493.
- Choong, Y. M., Lin, H. J. (2001), Gas chromatographic determination of synthetic antioxidants in edible fats and oils: A simple methylation method. *Journal of Food and Drug Analysis*, **9**, 20-26.
- Chow, V. S. F. (2001), The role of antioxidants in dementia and other diseases: A review. *The Hong Kong Practitioner*, **23**, 344-351.
- Chung, H. Y., Baek, B. S., Song, S. H., Kim, M. S., Huh, J. I., Shim, K. H., Kim, K. W., Lee, K. H. (1997), Xanthine dehydrogenase/ xanthine oxidase and oxidative stress. *Age*, **20**, 127-140.
- Cimanga, K., Ying, L., Bruyne, D., Apers, S., Cos, P., Hermans, N., Bakana, P., Tona, L., Kalenda, K. D. T., Pieters, D., Berghe, D. V., Vlietinck, A. J. (2001), Radical scavenging and xanthine oxidase inhibitory activity of phenolic compounds from

*Bridelia ferruginea* stem bark. *Journal of Pharmacy and Pharmacology*, **53**, 757-761.

Clarson, P. M., Thompson, H. S. (2000), Antioxidants: What role do they play in physical activity and health? *Am. J. Clin. Nutr.*, **72**, 637-646.

Connort, H. D., Thurman, R. G., Galizi, M. D., Mason, R. P. (1986), The formation of a novel free radical metabolite from CCl<sub>4</sub> in the perfused rat liver and *in vivo*. *Journal of Biological Chemistry*, **261**, 4542-4548.

Copp, B. R. (2003), Antimycobacterial natural products. *Nat. Prod. Rep.*, **20**, 535-557.

Cos, P., Ying, L., Calomme, M., Hu, J. P., Cimanga, K., Van, P. B., Pieters, L., Vlistinck, A. J., Vanden, B. D. (1998), Structure-activity relationship and classification of flavonoids as inhibitors of xanthine oxidase and superoxide scavengers. *J. Nat. Prod.*, **61**, 71-76.

Curi, T. C. P., Levada, A. C., Lopes, R., Dois, S. Q., Curi, R. (2002), Glutamine plays a role in superoxide production and the expression of p47<sup>phox</sup>, p22<sup>phox</sup> and gp91<sup>phox</sup> in rat neutrophils. *Clinical Science*, **103**, 403-408.

Dailey, L. A., Imming, P. (1999), 12-Lipoxygenase: Classification, possible therapeutic benefits from inhibition and inhibitors. *Current Medicinal Chemistry*, **6**, 389-398.

Delazar, A., Shoeb, M., Kumarasamy, Y., Bycrs, M., Nahar, L., Modarresi, M., Sarker, S. D. (2004), Two bioactive ferulic acid derivatives from *Eremostachys glabra*. *DARU, Journal of faculty of Pharmacy, Tehran*, **12**, 49-53.

Dewick, P. M. (2002), *In Medicinal Natural Products: A Biosynthetic Approach*, John Wiley & Sons Ltd., 2<sup>nd</sup> Ed.

Diaz, M. N., Frei, B., Vita, J. A., Keaney, J. F. (1997), Antioxidants and atherosclerotic heart disease. *N. Engl. J. Med.*, **337**, 408-416.

- Dixon, M. (1953), The determination of enzyme inhibitor constants. *Biochem. J.*, **55**, 170-171.
- Dona, M., Aica, I. D., Calabrese, F., Benelli, R., Morini, Albini, A., Garbisa, S. (2003), Neutrophil restraint by green tea: Inhibition of inflammation, associated angiogenesis, and pulmonary fibrosis 1. *The Journal of Immunology*, **170**, 4335-4341.
- Dwivedi, V., Agarwal, P. K. (1991), Antimicrobial activity of some new 1,2,4-triazolo [3,4-b] [1,3,4]-thiadiazoles. *Indian J. Pharm. Sci.*, **53**, 82-84.
- El-Dawy, M. A., Omar, A. M. M. E., Ismail, A. M., Hazzaa, A. A. B. (1983), Potential broad spectrum anthelmintics IV: Design, synthesis and antiparasitic screening of certain 3,6-disubstituted-(7H)-s-triazolo-[3,4-b][1,3,4] thiadiazine derivatives. *J. Pharm. Sci.*, **43**, 45-50.
- El-Saadani, M., Esterbauer, H., El-Sayed, M., Goher, M., Nassar, A. Y., Jurgens, G. (1989), A spectrophotometric assay for lipid peroxides in serum lipoproteins using a commercially available reagent. *J. Lipid Res.*, **4**, 627-630.
- Esterbauer, H., Striegl, G., Puhl, H., Rotheneder, M. (1989), Continuous monitoring of *in vitro* oxidation of human low density lipoprotein. *Free Radic. Res. Commun.*, **6**, 67-75.
- Estevam, M. L., Nascimento, O. R., Baptista, M. S., Mascio, P. D., Prado, F. M., Alario, A. F., Zucchi, M. R., Nantes, I. L. (2004), Changes in the spin state and reactivity of cytochrome *c* induced by photochemically generated-singlet oxygen and free radicals. *Journal of Biological Chemistry*, **279**, 39214-39222.
- Evans, C. A. R., Miller, N. J., Paganga, G. (1997), Antioxidant properties of phenolic compounds. *Trends in Plant Science*, **2**, 152-159.
- Eweiss, N. F., Bahajaj, A. A. (1987), Synthesis of heterocycles (Part VII [1]); Synthesis and antimicrobial activity of some 7H-s-triazolo[3,4-b] [1,3,4] thiadiazine and

- s-triazolo [3,4-b] [1,3,4] thiadiazole derivatives. *J. Heterocyclic Chem.*, **24**, 1173-1182.
- Eweiss, N. F., Bahajaj, A. A., Elsherbini, E. A. (1986), Synthesis of heterocycles (Part VI [1]); Synthesis and antimicrobial activity of 4-amino-5-aryl-1,2,4-triazole-3-thiones and their derivatives. *J. Heterocyclic Chem.*, **23**, 1451-1458.
- Feri, B., England, L., Ames, B. N. (1989), Ascorbate is an outstanding antioxidant in human blood plasma. *Proc. Natl. Acad. Sci. USA*, **86**, 6377-6381.
- Ferreira, M. A. D., Nunes, O. D. R. H., Leal, L. K. A. M., Pessoa, O. D. L., Lemos, T. L. G. D., Viana, G. S. D. B. (2003), Antioxidant effects in the quinone fraction from *Auxemma onocalyx*. *Biol. Pharm. Bull.*, **26**, 595-599.
- Finar, I. L. (1975), *In Organic Chemistry*, William Clowes and Sons Ltd., **2**, 455.
- Foroumadi, A., Daneshtalab, M., Shafiee, A. (1991), Synthesis and *in vitro* antifungal activity of 2-aryl-5-phenylsulfonyl-1,3,4-thiadiazole derivatives. *Arzneimittelforschung*, **49**, 1035-1038.
- Furniss, B. S., Hannaford, A. J., Smith, J. W. G., Tatchell, A. R. (1989), *In Vogel's textbook of practical organic chemistry*, 5<sup>th</sup> Ed., Longmann Scientific & Technical, UK, 1034.
- Furuta, T., Fukuyama, Y., Asakawa, Y. (1986), Polygonolido: An isocoumarin from *Polygonum, hydropiper* possessing anti-inflammatory activity, *Phytochemistry*, **25**, 517.
- Gao, J., Igarashi, K., Nukina, M. (2000), Three new phenylethanoid glycosides from *Caryopteris incana* and their antioxidative activity. *Chem. Pharm. Bull. (Tokyo)*, **48**, 1075-1078.
- Garaleviciene, D. (2003), Effect of antioxidant preparation "oxynil" on health status and productivity of laying hens fed naturally moulded feed. *Veterinarija Ir Zootechnika. T.*, **24**, 22-29.

- Gaulejac, N. S. C., Glories, Y., Vivas, N. (1999), Free radical scavenging effect of anthocyanins in red wines. *Food Research International*, **32**, 327-333.
- Grace, S. C., Salgo, M. G., Pryor, W. A. (1998), Scavenging of peroxynitrite by a phenolic/ peroxidase system prevents oxidative damage to DNA. *FEBS Letters*, **426**, 24-28.
- Greenwald, R. A. (1991), Oxygen radicals, inflammation, and arthritis: Pathophysiological considerations and implications for treatment. *Semin Arthritis Rheum.*, **20**, 219-240.
- Grenier, J. L., Cotelle, N., Cotelle, P., Catteau, J. P. (1996), Antioxidant properties of nitrocaffeic acids. *Bioorganic & Medicinal Chemistry Letters*, **6**, 431-434.
- Halaka, F. G., Babcock, G. T., Dye, J. L. (1982), Properties of 5-methylphenazinium methyl sulfate. *Journal of Biological Chemistry*, **257**, 1458-1461.
- Halliwell, B. (1995), Oxygen radicals, nitric oxide and human inflammatory joint disease. *Ann. Rheum. Dis.*, **54**, 505-510.
- Halliwell, B., Aeschbach, R., Loliger, J., Aruoma, O. I. (1995), The characterization of antioxidants. *Foods Chem. Toxic.*, **33**, 601-617.
- Halliwell, B., Gutteridge, J. B. (1990), The antioxidants of human extracellular fluids. *Arch. Biochem. Biophys.*, **280**, 1-8.
- Halliwell, B., Gutteridge, M. C. (1992), Biologically relevant metal ion-dependent hydroxyl radical generation: An update. *FEBS Lett.*, **307**, 108-112.
- Han, D., Williams E., Cadenas, E. (2001), Mitochondrial respiratory chain-dependent generation of superoxide anion and its release into the intermembrane space. *Biochem. J.*, **353**, 411-416.
- Haraguchi, H., Hashimoto, K., Yagi, A. (1992), Antioxidant substances in leaves of *Polygonum hydropiper*. *J. Agric. Food. Chem.*, **40**, 1349-1351.

- Haraguchi, H., Saito, T., Okamura, N., Yagi, A. (1995), Inhibition of lipid peroxidation and superoxide generation by diterpenoids from *Rosmarinus officinalis*. *Planta Medica*, **61**, 333-336.
- Hazleton, L. W., Murer, H. K., Thiessen, R. Jr., Tusing, T. W., Zeitlin, B. (1956), Toxicity of coumarin. *J. Pharmacol. Exp. Ther.*, **118**, 348-358.
- He, Z. D., Lau, Kit-M., Xu, H. X., Li, P. C., But, P. P. H. (2000), Antioxidant activity of phenylethanoid glycosides from *Brandisia hancei*. *Journal of Ethnopharmacology*, **71**, 483-486.
- Heilmann, J., Calis, I., Kirmizibekmez, H., Schuhly, W., Harput, S., Sticher, O. (2000), Radical scavenger activity of phenylethanoid glycosides in FMLP stimulated human polymorphonuclear leukocytes: Structure-activity relationships. *Planta Medica*, **66**, 746-748.
- Henderson, L. M., Chappell, J. B. (1996), NADPH oxidase of neutrophils. *Biochem. Biophys. Acta*, **127**, 87-107.
- Hiroyuki, M., Hiroshi, N., Joachim, S., Ikuro, A. (2001), Novel polyketides synthesized with a higher plant stilbene synthase. *Eur. J. Biochem.*, **268**, 3759-3766.
- Hollman, P. C. H., Hertog, M. G. L., Katan, M. B. (1996), Analysis and health effects of flavonoids. *Food Chemistry*, **57**, 43-46.
- Hong, H., Chen, F., Chen, Z., Zhu, Y., Wang, Y. (2001), Simultaneous measurement of VSMCs metabolic activity and proliferation with WST-1 and cell proliferation ELISA (BrdU). *Biochemica*, **3**, 24-25.
- Hoskins, J. A. (1984), The occurrence, metabolism and toxicity of cinnamic acid and related compounds. *J. Appl. Toxicol.*, **4**, 283-292.
- Iakovleva, I. V., Ivakhnenko, A. K., Buniatian, N. D. (1998), The protective action of ellagic acid in experimental myocarditis. *Eksp. Klin. Farmakol*, **61**, 32-34.

- Ishiyama, M., Shiga, M., Sasamoto, K., Mizoguchi, M., H. E., Gang, P. (1993), A new sulfonated tetrazolium salt that produces a highly water-soluble formazan dye. *Chem. Pharm. Bull.*, **41**, 1118-1122.
- Ivanova, E., Ivanov., B. (2000), Mechanisms of the extracellular antioxidant defend. *Experimental Pathology and Parasitology*, **4**, 49-59.
- Jaiswal, N., Pandey, B. R., Raman, K., Barthwal, J. P., Kishor, K., Bhargara, K. P. (1978), 3-Arylaminoethyl-5-(3,4,5-trimethoxyphenyl)-1,3,4-oxadiazol-2-thiones as pyruvate oxidase inhibitors. *Indian J. Pharm. Sci.*, **40**, 2002.
- Jakus, V. (2000), The role of free radicals, oxidative stress and antioxidant systems in diabetic vascular disease. *Bratisl Lek Listy*, **101**, 541-551.
- Jendrassik, L., Grof, P. (1938), Photometric determination of bilirubin in urine. *Biochem. Z.*, **296**, 71-79.
- Jenner, P. (1994), Oxidative damage in neurodegenerative disease. *Lancet*, **344**, 796-798.
- Jobin, F., Tremblay, F., Morissette, M. (1970), Platelet reactions and immune processes. III. Inhibition of platelet aggregation by chymotrypsin substrates and inhibitors. *Thromb. Diath. Haemorrh.*, **23**, 110.
- Kai, X., Lijiang, X., Yaming, X., and Donglu, B. (2000), Stilbene glycoside sulfates from *Polygonum cuspidatum*. *J. Nat. Prod.*, **63**, 1373-1376.
- Kalinowski, L., Malinski, T. (2004), Endothelial NADH/NADPH-dependent enzymatic sources of superoxide production: Relationship to endothelial dysfunction. *Acta Biochimica Polonica*, **51**, 459-469.
- Kapil, A., Koul, I. B. (1995), Antihepatotoxic effects of chlorogenic acid from *Anthocephalus cadamba*. *Phytotherapy Research*, **9**, 189-193.

- Kayser, O., Chen, M., Kharazmi, A., Kiderken, A. F. (2002), Aurones interfere with *Leshmania major* mitochondrial fumarate reductase. *Z. Naturforsch.*, **57c**, 717-720.
- Kerr, M. E., Bender, C. M., Monti, E. J. (1996), An introduction to oxygen free radicals. *Heart & Lung*, **25**, 200-209.
- Khan, K. M., Maharvi, G. M., Abbaskhan, A., Hayat, S., Khan, M. T. H., Makhmoor, T., Choudhary, M. I., Shaheen, F., Atta-ur-Rahman. (2003), Three tyrosinase inhibitors and antioxidant compounds from *Salsola foetida*. *Helv. Chim. Acta*, **86**, 457-464.
- Khan, K. M., Iqbal, S., Lodhi, M. A., Maharvi, G. M., Ullah, Z., Choudhary, M. I., Rahman, A. U., Perveen, S. (2004), Biscoumarin: New class of urease inhibitors; economical synthesis and activity. *Bioorg. Med. Chem.*, **12**, 1963-1968.
- Khan, K. M., Saify, Z. S., Hayat, S., Khan, M. Z., Noor, F., Makhmoor, T., Choudhary, M. I., Zia-Ullah, Perveen, S. (2002), Synthesis, antioxidant and insecticidal activities of some coumarin derivatives. *Jour. Chem. Soc. Pak.*, **24**, 226-231.
- Khan, K. M., Shujaat, S., Rahat, S., Hayat, S., Atta-ur-Rahaman, Choudhary, M. I. (2002),  $\beta$ -N-Cyanoethyl acyl hydrazide derivatives: A new class of  $\beta$ -clucuronidase inhibitors. *Chem. Pharm. Bull.*, **50**, 1443-1446.
- Khan, U., Aftab, S., Muhammad, T. A. (1997), *In Indusynic Medicine*; B. C. C. & T. Press, University of Karachi, Karachi, pp. 125.
- Khanum, S. A., Shashikanthb, S., Sudhaa, B. S. (2003), A facile synthesis and antimicrobial activity of 3-(2-aryloxy) methyl-5-mercapto-4-phenyl-4H-1,2,4-triazole and 2-(2-aryloxy) methyl-5-N-phenylamino-1,3,4-thiadiazole analogues. *Science Asia*, **29**, 383-392.
- Kong, L. D., Abliz, Z., Zhou, C. X., Li, L. J., Cheng, C. H. K., Tan, R. X. (2001), Glycosides and xanthine oxidase inhibitors from *Conyza bonariensis*. *Phytochemistry*, **58**, 645-651.

- Krinsky, N. I. (1992), Mechanism of action of biological antioxidants. *Proc. Soc. Exp. Biol. Med.*, **200**, 248-254.
- Kuo, Y. H., Chien, S. C., Kuo, C. C. (2002), Antioxidative 7-oxohydropodocarpane-type trinorditerpenes from the bark of *Taiwania cryptomeriodes*. *Planta Medica*, **68**, 1020-1023.
- Leboritz, R. L., Zhang, H., Vogel, H., Catwright, J. Jr., Dionne, L., Lu, N., Husang, S., Matzk, M. M. (1996), Neurodegeneration, myocardial injury and perinatal death in mitochondrial superoxide dismutase-deficient mice. *Proc. Natl. Acad. Sci. USA*, **93**, 9782-9787.
- Lee, K. W., Lee, H. J., Kang, K. S., Lee, C. H. (2002), Preventive effects of vitamin C on carcinogenesis. *Lancet*, **359**, 172.
- Lee, S. K., Zakaria, H., Chung, H., Luyengi, L., Gamez, E. J. C, Mehta, R. J., Kinghorn, D., Pezzuto, J. M. (1998), Evaluation of the antioxidant potential of natural products. *Combinatorial Chemistry and High Throughput Screening*, **1**, 35-46.
- Leeuwenburgh, C., Polly, H., Aviv, S., John, O. H., Jay, W. H. (1998), Markers of protein oxidation by hydroxyl radical and reactive nitrogen species in tissues of aging rats. *Am. J. Physiol.*, **274**, (*Regulatory Integrative Comp. Physiol.* **43**) R453-R461.
- Lin, J. N., Kao, C. H. (1998), Effect of oxidative stress caused by hydrogen peroxide on senescence of rice leaves. *Bot. Bull. Acad. Sin.* **39**, 161-165.
- Liu, G., Link, J. T., Pei, Z., Reilly, E. B., Leitz, S., Nguyen, B., Marsh, K. C., Okasinski, G. F., Geldern, T. W., Ormes, M., Fowler, K., Gallatin, M. (2000), Discovery of novel *p*-arylthio cinnamides as antagonists of leukocyte function-associated antigen-1/intracellular adhesion molecule-1 interaction. 1. Identification of an additional binding pocket based on an anilino diaryl sulfide lead. *J. Med. Chem.*, **43**, 4025-40.

- Liu, Z. Q., Yu, W., Liu, Z. L. (1999), Antioxidative and prooxidative effects of coumarin derivatives on free radical initiated and photosensitized peroxidation of human low-density lipoprotein. *Chem. Phys. Lipids*, **103**, 125-35.
- Lunec, J., Griffiths, H. R. (2000), *In Measuring in vivo Oxidative Damage: A Practical Approach: Chromatographic Procedures*, John Wiley & Sons Ltd., England.
- Maguire, J. J., Wilson, D. S., Packer, L. (1989), Mitochondrial electron transport-linked tocopheroxyl radical reduction. *Journal of Biological Chemistry*, **264**, 21462-21465.
- Marakos, P., Garoufalias, P. S., Tani, E., Kourounakis, P. N., Athanasiou, G., Lada, C. A. (2002), Synthesis and antifungal and antioxidant properties of some new 5-substituted-4-amino(or aryl)-3-mercapto-4(H)-1,2,4-triazoles. *Arzneimittelforschung*, **52**, 572-577.
- Mascio, D. P., Bechara, E. J., Medeiros, M. H., Briviba, K., Sies, H. (1994), Singlet molecular oxygen production in the reaction of peroxyxynitrite with hydrogen peroxide. *FEBS Letters*, **355**, 287-289.
- Mashino, T., Takigawa, Y., Saito, N., Wong, L. Q., Mochizuki, M. (2000), Antioxidant and xanthine oxidase inhibition activity of reductic acid: Ascorbic acid analogue. *Bioorganic & Medicinal Chemistry Letters*, **10**, 2783-2785.
- Maslat, A. O., Abussaud, M., Tashtoush, H., Al-Talib, M. (2002), Synthesis, antibacterial, antifungal and genotoxic activity of bis-1,3,4-oxadiazole derivatives. *Pol. J. Pharmacol.*, **54**, 55-59.
- Matsuda, H., Morikawa, T., Toguchida, I., Park, J. Y., Harima, S., Yoshikawa, M. (2001), Antioxidant constituents from Rhubarb: Structural requirements of stilbenes for the activity and structures of two new anthraquinone glucosides. *Bioorganic & Medicinal Chemistry*, **9**, 41-50.
- Mazzetti, L., Grigolo, B., Pulsatelli, L., Dolzani, P., Silvestri, T., Roseti, L., Meliconi,

- R., Facchin, A. (2001), Differential roles of nitric oxide and oxygen radicals in chondrocytes affected by osteoarthritis and rheumatoid arthritis. *Clinical Science*, **101**, 593-599.
- McCord, J. M. (1993), Human disease, free radicals, and the oxidant/ antioxidant balance. *Clinical Biochemistry*, **26**, 351-357.
- McCord, J. M., Omar, B. A. (1993), Sources of free radicals. *Toxicology and Industrial Health*, **9**, 23-37.
- McCormick, M. L., Buettner, G. R., Britigan, B. E. (1998), Endogenous superoxide dismutase levels regulate iron-dependent hydroxyl radical formation in *Escherichia coli* exposed to hydrogen peroxide. *Journal of Bacteriology*, **180**, 622-625.
- Mehmood, A., Malik, A., Anis, I., Khan, P. M., Riaz, M., Makhmoor, T., Choudhary, M. I. (2002), Highly oxygenated triterpenes from the roots of *Atropa acuminata*. *Natural Product Letters*, **16**, 371-376.
- Michaelidou, A., Litina, H. D. (2003), Anti-inflammatory, antioxidant and analgesic amides. *Journal of Enzyme Inhibition and Medicinal Chemistry*, **18**, 537-544.
- Mitra, A., Misra, S. K., Petra, A. (1980), New synthesis of 3-alkyl coumarins. *Synth. Commun.*, **10**, 915.
- Mitscher, L. A., Telikepalli, H., Wang, P. B., Kuo, S., Shankel, D. M., Stewart, G. (1992), Antimutagenicity of secondary metabolites from higher plants. *Mut. Res.*, **267**, 229-241.
- Moncada, S., Palmer, R. M., Higgs, E. A. (1991), Nitric oxide: Physiology, pathophysiology, and pharmacology. *Pharmacol. Rev.*, **43**, 109-142.
- Mukherjee, P. K., Saha, K., Murugesan, T., Mandal, S. C., Pal, M., Saha, B. P. (1998), Screening of anti-diarrhoeal profile of some plant extracts of a specific region of West Bengal, India. *Journal of Ethnopharmacology*, **60**, 85-89.

- Mullican, M. D., Wilson, M. W., Connor, D. T., Kostlan, C. R., Schrier, D. J., Dyer, R. D. (1993), Design of 5-(3,5-di-*t*-butyl-4-hydroxyphenyl)-1,3,4-thiadiazoles, 1,3,4-oxadiazoles, and 1,2,4-triazoles as orally-active, nonulcerogenic antiinflammatory agents. *J. Med. Chem.*, **36**, 1090-1099.
- Myers, A. K., Formon, G., Duarte, A. P. T., Penhos, J., Ramwell, P. (1986), Comparison of verapamil and nifedipine in thrombosis models. *Proc. Soc. Exp. Biol. Med.*, **183**, 86.
- Nagatsu, A., Tenmaru, K., Matsuura, H., Murakami, N., Kobayashi, T., Okuyama, M., Sakakibara, J. (1995), Novel antioxidants from roasted Perilla seed. *Chem. Pharm. Bull.*, **43**, 887-889.
- Nahed, K. (1991), Benzothiazepines as anticancer drug potentiators. *Can Pat. Appl. CA*, **159**, 2, 030, 159, *Chem. Abstr.*, (1991), **115**, 198515f.
- Narayanan, B. A., Geoffray, O., Willingham, M. C., Re, G. G., Nixon, D. W. (1999), p53/p21(WAF1/CIP1) expression and its possible role in G1 arrest and apoptosis in ellagic acid treated cancer cells. *Cancer Lett.*, **136**, 215-221.
- Ng, T. B., Liu, F., Wang, Z. T. (2000), Antioxidative activity of natural products from plants. *Life Sci.*, **66**, 709-723.
- Nijveldt, R. J., Nood, E. V., Hoorn, D. E. C. V., Boelens, P. G., Norren, K. V., Leeuwen, P. A. W. V. (2001), Flavonoids: A review of probable mechanisms of action and potential applications. *Am. J. Clin. Nutr.*, **74**, 418-425.
- Noguchi, N., Niki, E. (2000), Phenolic antioxidants: A rationale for design and evaluation of novel antioxidant drug for atherosclerosis. *Free Radical Biology & Medicine*, **28**, 1538-1546.
- Nohi, H., Jordan, W. (1986), The mitochondrial site of superoxide formation. *Biochem. Biophys. Res. Comm.*, **138**, 533-539.

- Noor, R., Mittal, S., Iqbal, J., (2002), Superoxide dismutase: Applications and relevance to human diseases. *Med. Sci. Monit.*, **8**, RA210-RA215.
- Obi, K., Kojima, A., Fukuda, H., Hirai, K. (1995), Synthesis and biological activity of a novel class of cephalosporins with a oxadiazolyl hydroxypyridone moiety at C-7. *Biorganic & Medicinal Chemistry Letters*, **5**, 2777-2782.
- Okuno, T., Oikawa, S., Goto, T., Sawai, K., Shirahama, H., Matsumoto, T. (1986), Structures and phytotoxicity of metabolites from *Valsa ceratosperma*. *Agric. Biol. Chem.*, **50**, 997-1001.
- Orr, W. C., Sohal, R. S. (1994), Extention of life-span by over expression of superoxide dismutase and catalase in *Drosophila melanogaster*. *Science*, **263**, 1128-1130.
- Packer, L., Cadenas, E. (2002), In *Hand Book of Antioxidants: Carotenoids: Linking chemistry, absorption, and metabolism to potential roles in human health and disease*, Marcel Dekker, Inc., New York. pp. 189-221.
- Packer, L., Cadenas, E. (2002), In *Hand Book of Antioxidants: Carotenoids: Antioxidant and other properties of green tea and black tea*, Marcel Dekker, Inc., New York. pp. 372.
- Packer, L., Cadenas, E. (2002), In *Hand Book of Antioxidants: Vitamin C: From molecular actions to optimum intake*. Marcel Dekker, Inc., New York. pp. 117.
- Packer, L., Cadenas, E. (2002), In *Hand Book of Antioxidants: Vitamin E: Bioavailability and metabolism; Biological activity of tocotrienols*, Marcel Dekker, Inc., New York. pp. 99-107 and pp. 109-116.
- Packer, L., Cadenas, E. (2002), In *Hand Book of Antioxidants: Vitamin C: From molecular actions to optimum intake*, Marcel Dekker, Inc., New York. pp. 117-144.

- Parthasarathy, S., Santanam, N., Ramachandran, S., Meilhac, O. (1999), Oxidants and antioxidants in atherogenesis: An appraisal. *Journal of Lipid Research*, **40**, 2143-2157.
- Patocka, J. (2003), Biologically active pentacyclic triterpenes and their current medicine signification. *Journal of Applied Biomedicine*, **1**, 7-12.
- Percival, M. (1998), Antioxidants. *Clinical Nutrition Insights*, 1-4.
- Polyakov, N. E., Leshina, T. V., Konovalova, T. A., Kispert, L. D. (2001), Carotenoids as scavengers of free radicals in a fenton reaction: Antioxidants or pro-oxidants? *Free Radical Biology & Medicine*, **31**, 398-404.
- Prigmore, E., Ahmed, S., Best, A., Kozma, R., Manser, E., Segal, A. W., Lim, L. (1995), A 68-kDa kinase and NADPH oxidase component p67<sup>phox</sup> are targets for Cdc42Hs and Rac 1 in neutrophils. *Journal of Biological Chemistry*, **270**, 10717-10722.
- Pullar, J. M., Vissers, M. C. M., Winterbourn, C. C. (2001), Glutathione oxidation by hypochlorous acid in endothelial cells produces glutathione sulfonamide as a major product but not glutathione disulfide. *Journal of Biological Chemistry*, **276**, 22120-22125.
- Rahman, A., Ngounou, F. N., Choudhary, M. I., Malik, S., Makhunoor, T., Alam, M. N., Zareen, S., Lontsi, D., Ayafor, J. F., Sondengam, B. L. (2001), New antioxidant and antimicrobial ellagic acid derivatives from *Pteleopsis hylodendron*. *Planta Medica*, **67**, 335-39.
- Ramanan, P. N., Rao, M. N. (1987), Antimicrobial activity of cinnamic acid derivatives. *Ind. J. Exper. Biol.*, **25**, 42-43.
- Ramarathanam, N., Osawa, T., Ochi, H., Kawakishi, S. (1995), The contribution of plant antioxidants to human health. *Trends in Food Science & Technology*, **6**, 75-82.

- Re, R., Pellegrini, N., Proteggente, A., Pannala, A., Yang, M., Evans, C. R. (1999), Antioxidant activity applying an improved ABTS radical cation decolorization assay. *Free Radical Biology*, **26**, 1231-1237.
- Richardson, T., Finley, J. W. (1997), In *Chemical changes in food during processing: Mechanism of oxidoreductases important in food component modification*. Chapman & Hall, Inc., New York. pp. 121-176.
- Richter, H. W., Fetrow, M. A., Lewis, R. E., Waddeli, W. H. (1982), Reactive species produced by the 5-methylphenzinium methyl sulfate/reduced  $\beta$ -nicotinamide adenine dinucleotide/oxygen system in the hydroxylation of benzoic acid. *J. Am. Chem. Soc.*, **104**, 1666-1671.
- Rios, J. L., Manez, S., Paya, M., Alcaraz, M. J. (1992), Antioxidant activity of flavonoids from *Sidetitis javalambrensis*. *Phytochemistry*, **31**, 1947-1950.
- Ryan, M. G., Ratnam, K., Hille, R. (1995), The molybdenum centers of xanthine oxidase and xanthine dehydrogenase. *Journal of Biological Chemistry*, **270**, 19209-19212.
- Saha, K., Mukherjee, P. K., Das, J., Pal, M., Saha, B. P. (1997), Wound healing activity of *Leucas lavandulaefolia* Rees. *Journal of Ethnopharmacology*, **56**, 139-144.
- Sassa, T., Aok, H., Namiki, M., Munakala, K. (1968), Plant growth promoting metabolites of *Sclerotinia sclerotiorum*. I. Isolation and structures of sclerotinins A and B. *Agric. Bio. Chem.*, **32**, 1432.
- Sassa, H., Takaishi, Y., Terada, H. (1990), The triterpene celastrol as a very potent inhibitor of lipid peroxidation in mitochondria. *Biochem. Biophys. Res. Commun.*, **172**, 890-897.
- Schafer, F. Q., Qqian, S. Y., Buettner, G. R. (2000), Iron and free radical oxidations in cell membranes. *Cellular and Molecular Biology*, **46**, 657-662.

- Schapoval, E. E. S., Vargas, M. R. W., Chaves, C. G., Bridi, R., Zuanazzi, J. A., Henriques, A. T. (1998), Antiinflammatory and antinociceptive activities of extracts and isolated compounds from *Stachytarpheta cayennensis*. *Journal of Ethnopharmacology*, **60**, 53-59.
- Sco, H. G., Takata, I., Nakamura, M., Tatsumi, H., Suzuki, K., Juji, J., Taniguchi, N. (1995), Induction of nitric oxide synthase and concomitant suppression of superoxide dismutase in experimental colitis in rats. *Archs. Biochem. Biophys.*, **324**, 41-47.
- Segel, I. H. (1975), *In Enzyme Kinetics*. John Wiley and Sons, Inc. New York.
- Shahidi, F. (1997). *In Natural Antioxidants: Are they a reality*. AOCS press, Champaign, Illinois, pp. 30.
- Shahidi, F. (1997), *In Natural Antioxidants: Chemistry, health effects, and applications: Natural antioxidants: An Overview*. AOCS press, Champaign, Illinois, pp. 1-9.
- Sherlock, S. (1951), *In liver disease*. Churchill, London. pp. 204.
- Siddiqui, R. A., English, D., Harvey, K., Cui, Y., Martin, M. I., Wentlands, J., Akard, L. J., Thompson, J., Garcia, J. G. N. (1995), Phorbol ester-induced priming of superoxide generation by phosphotidic acid stimulated neutrophils and granule free neutrophil cytoplasts. *J. Leukoc. Biol.*, **58**, 189-195.
- Slade, J., Stanton, J. L., David, B. D., Mazzenga, G. C. (1985), Angiotensin converting enzyme inhibitors: 1,5-Benzothiazepine derivatives. *J. Med. Chem.*, **28**, 1517-1521.
- Soares, J. R., Dinis, T. C. P., Cunha, A. P., Almeida, L. M. (1997), Antioxidant activities of some extracts of *Thymus zygis*. *Free. Rad. Res.*, **26**, 469-478.
- Soni, N., Saxena, A. K., Ahmad, S., Barthwal, J. P. (1984), Effect of 3-arylaminomethyl-5-(2-hydroxy-3,5-dibromophenyl)-1,3,4-oxadiazol-2-thiones on rat brain acetylcholinesterase (Ach E) inhibitory activity. *Indian Drugs*, **21**, 197.

- Stadtman, E. R., Oliver, C. N. (1991), Metal catalyzed oxidation of physical proteins. *Journal of Biological Chemistry*, **266**, 2005-2008.
- Stark, U., Zalaudek, G., Samec, H., Sterz, H. (1971), Acute liver cell degeneration with hepatorenal syndrome in monocumarol intoxication. *Wien. Med. Wochemschr.*, **121**, 358, *Chem. Abstr.* (1971), **75**, 18005.
- Steinbeck, M. J., Khan, A. U., Karnovsky, M. J. (1993), Extracellular production of singlet oxygen by stimulated macrophages quantified using 9,10-diphenylanthracene and perylene in a polystyrene film. *Journal of Biological Chemistry*, **268**, 15649-15654.
- Svetlik, J., Hanus, V., Bella, J. (1989), Novel rigid seven-membered heterocycles. Oxygen-bridged 1,5-benzodiazepine derivatives. *Liebigs Ann. Chem.*, **91**.
- Sultanova, N., Makhmoo, T., Yasin, A., Abilov, Z. A., Omurkamzinova, V. B., Attar-Rahman, Choudhary, M. I. (2003), Isotamarixen- A new antioxidant and prolyl endopeptidase-inhibiting triterpenoid from *Tamarix hispida*. *Planta Medica*, **70**, 65-67.
- Sun, J., Trumpower, B. L. (2003), Superoxide anion generation by the cytochrome bc1 complex. *Archives of Biochemistry and Biophysics*, **419**, 198-206.
- Takahashi, T., Sugimoto, N., Takahata, K., Okamoto, T., Kishi, T. (1996), Cellular antioxidant defense by a ubiquinol-regenerating system coupled with cytosolic NADPH-dependent ubiquinone reductase: Protective effect against carbon tetrachloride-induced hepatotoxicity. *Biol. Pharm. Bull.*, **19**, 1005-1012.
- Takebe, G., Yarimizu, J., Saito, Y., Hayashi, T., Nakamura, H., Yodoi, J., Nagasawa, S., Takahashi, K. (2002), A comparative study on the hydroperoxide and thiol specificity of the glutathione peroxidase family and selenoprotein P. *Journal of Biological Chemistry*, **277**, 41254-41258.

- Talawar, M. B., Bennur, S. C., Kankanwadi, S. K., Patil, P. A. (1995), Antiinflammatory activity of some new 3-substituted-4-amino-5-mercapto-4(H)-1,2,4-triazoles. *Indian J. Pharm. Sci.*, **57**, 194.
- Talawar, M. B., Laddi, U. V., Somannavar, Y. S., Benner, R. S., Bennur, S. C. (1995), Synthesis and biological activity of 1,2,4-triazole derivatives. *Indian J. Heterochl. Chem.*, **4**, 297.
- Tan, A. S., Berridge, M. V. (2000), Superoxide produced by activated neutrophils efficiently reduces the tetrazolium salt WST-1 to produce a soluble formazan: A simple colorimetric assay for measuring respiratory burst activation and for screening anti-inflammatory agents. *J. Immunol. Methods*, **238**: 59-68.
- Turska, J. T., Czuczwar, M., Kioe, J., Czuczwar, P., Cioczek, A., Luszczki, J., Czuczwar, S. J. (2004), Allopurinol does not affect the anticonvulsant activity of carbamazepine and valproate in maximal electroshock-induced convulsions in mice. *Polish Journal of Pharmacology*, **56**, 67-72.
- Van-Rensburg, C. E., Van-Staden, A. M., Anderson, R., Van-Rensburg, E. J. (1992), Hypochlorous acid potentiates hydrogen peroxide-mediated DNA-strand breaks in human mononuclear leucocytes. *Mutat. Res.*, **265**, 255-261.
- Vatassery, G. T., Bauer, T. Dysken, M. (1999), High doses of vitamin E in the treatment of disorders of the central nervous system in the aged. *Am. J. Clin. Nutr.*, **70**, 793-801.
- Vaya, J., Aviram, M. (2001), Nutritional antioxidants: Mechanism of action, analyses of activities and medical applications. *Curr. Med. Chem- Imm. Endoc., & Metab. Agents*, **1**, 99-117.
- Wattenberg, L. W., J. B. Occia., Lam, L. K. T. (1980), Inhibitory effects of phenolic compounds on benzo[a]pyrene-induced neoplasia. *Cancer Res.*, **40**, 2820-2823.

- Weiss, K., Fitscha, P., Gazso, A., Gludovacz, D., Sinzinger, H. (1989), Calcium blockers: Antiatherogenic action by influencing the prostaglandin-system. *Prog. Clin. Biol. Res.*, **301**, 353.
- Welch, D. R., Harper, D. E., Yohem, K. H. (1993), A novel cinnamide isolated from *Streptomyces griseoluteus* that inhibits cancer invasion and metastasis. *Clin. Exper. Metast.*, **11**, 201-212.
- Wiseman, H., Halliwell, B. (1996), Damage to DNA by reactive oxygen and nitrogen species: Role in inflammatory disease and progression to cancer. *Biochem. J.*, **313**, 17-29.
- Wiseman, S. A., Balentine, D. A., Frei, B. (1997), Antioxidants in tea. *Critical Reviews in Food Science and Nutrition*, **37**, 705-718.
- Witzum, J. L. (1994), Oxidative hypothesis of atherosclerosis. *Lancet*, **344**, 793-795.
- Wong, I. Y., He, Z. D., Huang, Y., Chen, Z. Y. (2001), Antioxidative activities of phenylethanoid glycosides from *Ligustrum purpurascens*. *Agric. Food Chem.*, **49**, 3113-3119.
- Woodford, F. P., Whitehead, T. P. (1998), Is measuring serum antioxidant capacity clinically useful? *Ann. Clin. Biochem.*, **35**, 48-56.
- Yag, A., Kabash, A., Okamura, N., Haraguchi, H., Moustafa, S. M., Khalifa, T. I., (2002), Antioxidant, free radical scavenging and anti-inflammatory effects of aloesin derivatives in *Aloe vera*. *Planta Medica*, **68**, 957-960.
- Yamashita, K., Lu, H., Lu, J., Chen, G., Yokoyama, T., Sagara, Y., Manabe, M., Kodama, H. (2002), Effect of three triterpenoids, lupeol, betulin, and betulinic acid on the stimulus-induced superoxide generation and tyrosyl phosphorylation of proteins in human neutrophils. *Clinica Chimica Acta.*, **325**, 91-96.

- Yang, J. Q., Li, S., Domann, F. E., Buettner, G. R., Oberley, L. W. (1999), Superoxide generation in v-Ha- Ras±transduced human keratinocyte HacaT cells. *Molecular Carcinogenesis*, **26**, 180-188.
- Yla-Herttuala, S., Pakkanen, T., Leppanen, P., Hakkinen, T. (2000), Oxidized low-density lipoprotein and atherosclerosis. *J. Clin. Basic Cardiol.*, **3**, 87-88.
- Yoshiki, Y., Okubo, K., Onuma, M., Igarashi, K. (1995), Chemiluminescence of benzoic and cinnamic acids, and flavonoids in the presence of aldehyde and hydrogen peroxide or hydroxyl radical by fenton reaction. *Phytochemistry*, **39**, 225-229.
- Zhang, Z. Y., Yan, H. (1987), *Acta Chimica Sinica*, **45**, 403.
- Zhu, W., Fung, P. C. W. (2000), The roles played by crucial free radicals like lipid free radicals, nitric oxide, and enzymes NOS and NADPH in CCl<sub>4</sub>-induced acute liver injury of mice. *Free Radical Biology & Medicine*, **29**, 870-880.
- Zou, X. J., Lai, L. H., Jin, G. Y., Zhang, Z. X. (2002), Synthesis, fungicidal activity, and 3d-qsar of pyridazinone-substituted 1,3,4-oxadiazoles and 1,3,4-thiadiazoles. *J. Agric. Food Chem.*, **50**, 3757-3760.