

References

- Abola EE, Sussman JL, Prilusky J, Manning NO, (1997) Protein Data Bank archives of three-dimensional macromolecular structures. **Methods Enzymol** **277** 556-71.
- Albizzia J, Odani S, Odani S, Ono T and Ikenaka T. (1979) Proteinase inhibitors from a mimosoideae legume, Homologues of soybean trypsin inhibitor (Kunitz). *J Biochem (Tokyo)* **6** 1795-805.
- Altschul SF, Madden TL, Scaser AA, Zhang J, Zhang Z, Miller W, Lipman DJ, (1997) Gapped BLAST and PSI-BLAST: a new generation of protein database search programs. *Nucl Acids Res.* **25** 3389–3402.
- Atkinson EA, Barry M, Darmon AJ, Shostak I, Turner PC, Moyer RW, Bleackley RC. (1998) Cytotoxic T lymphocyte-assisted suicide: caspase 3 activation is primarily the result of the direct action of granzyme B. *J Biol Chem* **273** 21261-21266.
- Attwood TK, Croning MD, Flower DR, Lewis AP, Mabey JE, Scordis P, (2000) PRINTS-S: the database formerly known as PRINTS. *Nucl Acids Res* **28** 225-227.
- Attwood TK, Flower DR, Lewis AP, Mabey JE, Morgan SR, Scordis P, (1999) PRINTS prepares for the new millennium. *Nucl Acids Res* **28** 220-225.
- Aubert JP, Halbecque N, Loucheux-Lefebvre MH, (1981) Carbohydrate peptide linkage in glycoproteins. *Arch. Biochem. Biophys.* **208** 20–29.
- Badley AD, Dockrell D, Paya CV, (1997) Apoptosis in AIDS. **Adv Pharmacol.** **41** 271-94.
- Bairoch A, Apweiler R, (2000) The SWISS-PROT protein sequence database and its supplement TrEMBL in 2000. *Nucl Acids Res* **28** 45-8.
- Bairoch A, Boeckmann B, (1991) The SWISS-PROT protein sequence data bank, *Nucl Acid Res* **19** 2247–2249.
- Bairoch A, Bucher P, Hofman K, (1997) the PROSITE data base, *Nucl Acid Res* **25** 217–221.
- Baker E, Sayers TJ, Sutherland GR, Smyth MJ, (1994) The genes encoding NK cell granule serine proteases, human tryptase-2 (TRYP2) and human granzyme A (HFSP), both map to chromosome 5q11-q12 and define a new locus for cytotoxic lymphocyte granule tryptases. *Immuno Genetics.* **40** 235-237.

- Baker W, van den Broek A, Camon E, Hingamp P, Sterk P, Stoesser G, (2000) The EMBL nucleotide sequence database. *Nucl Acids Res* 28 19-23.
- Bartunik HD, Summers LJ and Bartsch HH (1989) Crystal structure of bovine beta-trypsin at 1.5 Å resolution in a crystal form with low molecular packing density. Active site geometry, ion pairs and solvent structure. *J Mol Biol* 210 813-28.
- Bateman A, Birney E, Durbin R, Eddy SR, Howe KL, Sonnhammer EL, (2000) The Pfam protein families database. *Nucl Acids Res* 28 263-266.
- Batista IF, Oliva ML, Araujo MS, Sampaio MU, Richardson M, Fritz H, Sampaio CA. (1996) Plant serine proteinase inhibitors. Structure and biochemical applications on plasma kallikrein and related enzymes, *Phytochemistry* 41 1017-22.
- Bause E, (1983) Active-site-directed inhibition of asparagine N-glycosyl transferases with epoxy-peptide derivatives, *Biochem J* 209 331-336.
- Bause E, Hett Kamp H, Legler G, (1982) Conformational aspects of N-glycosylation of proteins: studies on linear and cyclic peptides as probes, *Biochem J* 203 761-768.
- Bennett MR. (1999) Mechanisms of p53-induced apoptosis, *Biochem Pharmacol.* 58 1089-95.
- Benson DA, I Karsch-Mizrachi, Lipman DJ, Ostell J, Rapp BA, Wheeler DL, (2000) GenBank. *Nucl Acids Res* 28 15-8.
- Beresford PJ, Xia Z, Greenberg AH, Leiberman J, (1999) Granzyme A loading induces rapid cytolysis and a novel form of DNA damage independently of caspase activation, *Immunity* 10 585-594.
- Berezin IV, Levashov AV and Martinek K, (1970) On the modes of interaction between competitive inhibitors and the alpha-chymotrypsin active centre. *FEBS Lett* 7 20-22.
- Berman HM, Olson WK, Beveridge DL, Westbrook J, Gelbin A, Demeny T, (1992) The Nucleic Acid Database. A comprehensive relational database of three dimensional structures of nucleic acids. *Biophys J* 63 751-759.
- Berman HM, Westbrook J, Feng Z, Gillil G, Bhat TN and Weissig H, (2000) et al. The Protein Data Bank. *Nucl Acids Res* 28 235-42.

- Bernstein FC, Koetzle TF, Williams GF, Meyer EF, Brice MD, Rodgers JR, (1977) The Protein Data Bank. A computer-based archival file for macromolecular structures. *Eur J Biochem* **80** 319-24.
- Berstein FC, Koetzle TF, Williams GJ, Meyer EE, Brice MD, Rodgers JR, Kennard O, Schimanouchi T, Tasumi M, (1997) Protein data bank, *J Mol Biol* **112** 535-542.
- Blanchard H, Kodendapani L, Mittl PR, Macro SD, Krebs JF, Wu JC, Tomaselli KJ, Gutter G, (1999) The three-dimensional structure of caspase-8: an initiator enzyme in apoptosis, *Struct Fold* **7** 1125-1133.
- Bleasby AJ, Akrigg D, Attwood TK, (1994) OWL—a non-redundant composite protein sequence database. *Nucl Acids Res* **22** 3574-3577.
- Bleasby AJ, Wootton JC, (1990) Construction of validated, non-redundant composite protein sequence databases. *Protein Eng* **3** 153-159.
- Bode W, Meyer E, Power JC, (1989) Human leukocyte and porcine pancreatic elastase: X-ray crystal structures, mechanism, substrate specificity, and mechanism-based inhibitors, *Biochemistry* **28** 1951-1963.
- Brayer GD, Delbaere LT, James MN, (1978) Molecular structure of crystalline *Streptomyces griseus* protease A at 2.8 Å resolution. II. Molecular conformation, comparison with alpha-chymotrypsin and active-site geometry, *J Mol Biol* **124** 261-283.
- Burkhard R. (1996) Description: **Predict Protein** is the acronym for all prediction programs run. *Methods Enzymol* **266** 525-539.
- Cardone MH, Roy N, Stennicke HR, Salvesen GS, Franke TF, Stanbridge E, Frisch S, Reed JC, (1998) Regulation of cell death protease caspase-9 by phosphorylation, *Science* **282** 1318-1321.
- Catalano M, Ragona L, Molinari H, Tava A, Zetta L, (2003) Anticarcinogenic Bowman Birk inhibitor isolated from snail medic seeds (*Medicago scutellata*): solution structure and analysis of self-association behaviour. *Biochemistry*. **42** 2836-2346.
- Cauwels A, Janssen B, Waeytens A, Cauvelier C, Brouckaert P, (2003) Caspase inhibition cause hyper acute tumor necrosis factor induced shock via oxidation stress and phospholipase A2, *Nat Immunol*. **4** 387-393.

- Chang HY, Nishitoh H, Yang X, Ichijo H, Baltimore D, (1998) Activation of apoptosis signals regulating kinase 1 (ASK1) by the adapter protein Daxx, *Science* **281** 1860–1863.
- Chinnaiyan AM, Dixit VM, (1996) The cell-death machine. *Curr Biol.* **6** 555-62.
- Chothia C, (1992) One thousand families for the molecular biologist. *Nature* **357** 543-544.
- Chothia C, Lesk AM, (1986) The relationship between the divergence of sequence and structural in proteins *EMBO J* **5** 823-826.
- Chou KC, Alferdo GT, Robert LH, (2001) Prediction of tertiary structure of a caspase-9/inhibitor complex, *FEBS Lett.* **470** 249–256.
- Colantuoni C, Purcell AE, Bouton CM, Pevsner J, (2000) High throughput analysis of gene expression in the human brain. *J Neurosci Res* **59** 1-10.
- Correa P, (1981) Epidemiological correlations between diet and cancer frequency. *Cancer Res.* **28** 3685-3690.
- Cosulich S, Clarke P, (1996) Apoptosis: does stress kill, *Curr. Biol.* **6** 1586–1588.
- Darmon AJ, Nicolson DW, Bleackley RC, (1995) Activation of the apoptotic protease CPP32 by cytotoxic T-cell-derived granzyme B, *Nature* **377** 446–448.
- Darzynkiewiez Z, Gong X, Hara J, Traganos F, in: **Cell Growth and Apoptosis**, Oxford University Press, Oxford, UK, 1995, pp. 143–167.
- Debouck C, Metcalf B, (2000) The impact of genomics on drug discovery. *Annu Rev Pharmacol Toxicol* **40** 193-207.
- Di Cera E, Guinto ER, Vindigni A, Dang QD, Ayala YM, and Wuyi M, (1995) The Na⁺ binding site of thrombin. *J Biol Chem* **270** 22089-92.
- Dong Z, Sinanan A, Parkinson D, Parmantier E, Mirsky R, Jessen KR, (1999) Schwann cell development in embryonic mouse nerves. *J Neurosci Res.* **56** 334-48.
- Edwards KM, Kam CM., Powers JC, Trapani JA, (1999) The human cytotoxic T cell granule serine protease granzyme H has chymotrypsin-like (chymase) activity and is taken up into cytoplasmic vesicles reminiscent of granzyme B-containing endosomes, *J Biol Chem* **274** 30468–30473.
- Endres M, Namura S, Shimizu-Sasamata M, Waeber C, Zhang L, Gomez-Isla T, Hyman BT, Moskowitz MA, (1998) Attenuation of delayed neuronal death

- after mild focal ischemia in mice by inhibition of the caspase family, *J. Cereb. Blood Flow Metab.* **18** 238–247.
- Etzold T, Ulyanov A, Argos P, (1996) SRS: information retrieval system for molecular biology data banks. *Methods Enzymol* **266** 114-28.
- Felsenstein J, PHYLIP Programme, Dept. of Genetics, Univ. of Washington, 1993.
- Fleischmann RD, Adams MD, White O, Clayton R, Kirkness EF, Kerlavage AR, (1995) Whole-genome random sequencing and assembly of *Haemophilus influenzae* Rd. *Science* **269** 496-512.
- Friend SH, (1999) How DNA microarrays and expression profiling will affect clinical practice. *BMJ* **319** 1306-7.
- Fujita E, Jinbo A, Matuzaki H, Konishi H, Kikkawa U, Momoi T, (1999) Akt phosphorylation site found in human caspase-9, *Biochem Biophys Res Commun* **264** 550–555.
- Gerstein M, (2000) Integrative database analysis in structural genomics. *Nature Struct Biol* **7** 960-3.
- Godfroid E, Octave JN, (1990) Glycosylation of the amyloid peptide precursor containing the Kunitz protease inhibitor domain improves the inhibition of trypsin. *Biochem Biophys Res Commun* **171** 1015-1021.
- Golub TR, Slonim DK, Tamayo P, Huard C, Gaasenbeek M, Mesirov JP, (1999) Molecular classification of cancer: class discovery and class prediction by gene expression monitoring. *Science* **386** 531-537.
- Grand RJ, (1989) Acylation of viral and eukaryotic proteins *Biochem J* **258** 625-638.
- Greer J, Boils G, Stein H, Feisk SW, Sham HL, Mercotte PA, Plattner JJ and Rempel CA, (1988) Renin inhibitors, Design and synthesis of new class of conformationally restricted analogues of angiotensinogen, *J Med Chem* **31** 284.
- Griffiths GM, Isaacs S, (1993) Granzyme A and B are targeted to lytic granules of lymphocytes by mannose-6 phosphate receptor, *J. Cell Biol.* **120** 885–896.
- Gygi SP, Rist B, Gerber SA, Turecek F, Gelb MH, Aebersold R, (1999) Quantitative analysis of complex protein mixtures using isotope-coded affinity tags. *Nat Biotechnol* **17** 994-9.
- Harsulkar M, Giri AP, Patankar AG, Gupta VS, Sainani MN, Ranjekar PK and Deshpande VV. (1999) Successive use of Non-Host plant proteinase inhibitors

required for effective inhibition of *Helicoverpa armigera* gut proteinases and larval growth. *Plant Physiol.* **121** 497-506.

Havel TF, and Snow ME, (1991) A new method for building protein conformations from sequence alignments with homologues of known structure. *J Mol Biol* **217** 1-7.

Hendlich M, (1998) Databases for protein-ligand complexes. *Acta Cryst D.* **54** 1178-1182.

Henkart PA, (1994) Lymphocyte-mediated cytotoxicity: two pathways and multiple effectors molecules, *Immunity* **1** 343-346.

Hiltunen MO, Niemi M, Yla-Herttuala S, (1999) Functional genomics and DNA array techniques in atherosclerosis research. *Curr Opin Lipidol* **10** 515-9.

Hink-Schauer C, Estebanez-Perpina E, Wilharm E, Fuentes-Prior P, Klinkert W, Bode W, Jenne DE. (2002) The 2.2 Å crystal structure of human pro-granzyme K reveals a rigid zymogen with unusual features, *J Biol Chem* **277** 50923-50933.

Hofmann K, Bucher P, Falquet L, Bairoch A, (1999) The PROSITE database, its status in 1999. *Nucl Acids Res* **27** 215-219.

Holm L, Sander C, (1998) Touring protein fold space with Dali/FSSP. *Nucleic Acids Res* **26** 316-319.

Holstege FC, Wyrick JJ, Lee TI, Hengartner CJ, Green MR, Golub TR, Lander ES, Young RA, (1998) Dissecting the regulatory circuitry of a eukaryotic genome. *Cell* **95** 717-728.

Hynes TR, Randal M, Kennedy LA, Eigenbrot C, Kossiakoff AA, (1990) X-ray crystal structure of the protease inhibitor domain of Alzheimer's amyloid beta-protein precursor. *Biochemistry.* **29** 10018-22.

James A, Randy H, Read J, Robin WC, (2000) Structure of serpin protease complex shows inhibition by deformation, *Nature* **407** 923-926.

Jansen R, Gerstein M, (2000) Analysis of the yeast transcriptome with structural and functional categories: characterizing highly expressed proteins. *Nucl Acids Res* **28** 1481-8.

Jeffery CJ. (1999) Moonlighting proteins. *TIBS* **24** 8-11.

Kanehisa M, Goto S, (2000) KEGG: kyoto encyclopedia of genes and genomes. *Nucl Acids Res* **28** 27-30.

- Kelly JM, O'Connor MD, Hulett MD, Thia KYT, Smyth MJ. (1996) Cloning and expression of the recombinant mouse natural killer cell granzyme Metase-1. *Immunogenetics* **44** 340-50.
- Kok K, Naylor SL, Buys CH, (1997) Deletions of the short arm of chromosome 3 in solid tumors and the search for suppressor genes. *Adv Cancer Res* **71** 27-92.
- Kraut J, (1977) Serine proteases: structure and mechanism of catalysis. *Annu Rev Biochem.* **46** 331-58.
- Krem MM, Di Cera E, (1998) Conserved water molecules in the specificity pocket of serine proteases and the molecular mechanism of Na⁺ binding. *Proteins.* **30** 34-42.
- Kuc J, (1990) Compounds from plants that regulate or participate in disease resistance, *Ciba Found Symp.* 154 213-24.
- Kunitz M, (1947b) Isolation of a crystalline protein compound of trypsin and soybean trypsin inhibitor *J Gen Physiol.* **30** 311-320.
- Kunitz M. (1947a) Crystalline soybean trypsin inhibitor, *J Gen Physiol.* **30**, 291-310.
- Laskowski M and Kato L, (1980) Protein Inhibitor of Proteinases. *Annu. Rev. Biochem.* **49** 593-626.
- Laskowski RA, Hutchinson EG, Michie AD, Wallace AC, Jones ML, Thornton JM, (1997) PDBsum: a Web-based database of summaries and analyses of all PDB structures. *TIBS* **22** 488-490.
- Lesk AM, Chothia C, (1980) How different amino acid sequences determine similar protein structures: the structure and evolutionary dynamics of the globins. *J Mol Biol* **136**225-70.
- Lin J, Gerstein M, (2000) Whole-genome **trees** based on the occurrence of folds and orthologs: implications for comparing genomes on different levels. *Genome Res* **10** 808-18.
- Liu X, Kim CN, Yang J, Jemmerson R, Wang X, (1997) DFF a heterodimeric protein that functions down stream of caspase-3 to trigger DNA fragmentation and apoptosis, *Cell* **89** 175- 184.

- Lo Conte L, Ailey B, Hubbard TJ, Brenner SE, Murzin AG, Chothia C, (2000) SCOP: a structural classification of proteins database. *Nucl Acids Res* 28:257-259.
- Lowe SW, Lin AW, (2000) Apoptosis in cancer. *Carcinogenesis*. 21 485-95.
- Luthy R., Bowie JU and Esienberg D. (1992) Assessment of protein models with three-dimensional profiles. *Nature* 356 83-85.
- Magee AI, Courtneidge SA, (1985) Two classes of fatty acid acylated proteins exist in eukaryotic cells. *EMBO J*. 4, 1137-1144.
- Marquart M and Walter J, (1983) The geometry of the reactive site and of the peptide group in trypsin, trypsinogen and its complex with inhibitor. *Acta Crystallography*. 39 480-490.
- Martin AC, Orengo CA, Hutchinson EG, Jones S, Karmirantzou M, Laskowski RA, (1998) Protein folds and functions. *Structure* 6 875-84.
- McGuire MJ, Lipsky PE, Thiele DL, (1993) Generation of active myeloid and lymphoid granule serine proteases requires processing by the granule thiol protease dipeptidyl peptidase, *J Biol Chem* 268 2458-2467.
- Meester PD, Brick P, Lloyd LF, Blow DM and Onesti S, (1998) Structure of the kunitz Type Trypsin inhibitor (STI): Implication for the interactions between members of the family and tissue Plasminogen Activator. *Acta cryst.* 54 589-597.
- Meier M, Kwong PC, Fregeau CJ, Atkinson EA, Burrington M, Ehrman N, Sorensen O, Lin CC, Wilkins J, Bleackley RC, (1990) Cloning of a gene that encodes a new member of the human cytotoxic cell protease family, *Biochemistry* 29 4042-4049.
- Metkar SS, Wang B, Aguilar-Santelises M, Raja SM, Uhlin-Hansen L, Podack E, Trapani JA, Froelich CJ, (2002) Cytotoxic cell granule-mediated apoptosis: perforin delivers granzyme B-serglycin complexes into target cells without plasma membrane pore formation, *Immunity* 16 417-428.
- Mittl PR, Macro SD, Krebs JF, Bai X, Karanewsky PS, Priestle JP, Kevin JT, Grutter MC, (1997) Structure of recombinant human CPP32 in complex with the tetrapeptide acetyl-Asp-Val-Ala-Asp .uoromethyl ketone, *J Biol Chem* 272 6539-6547.
- Morris AL, McArthur MW, Hutchinson EG and Thornton JM, (1992) Stereochemical quality of protein structure coordinates. *Protein* 12 345-364.

- Moult J, Sawyer L, Herzberg O, Jones CL, Coulson AF, Green DW, Harding MM, Ambler RP, (1985). The crystal structure of beta-lactamase from *Staphylococcus aureus* at 0.5 nm resolution. *Biochem J.* **225** 167-76.
- Murray-Rust P, (1994) Bioinformatics and drug discovery. *Curr Opin Biotechnol* **5** 648-53.
- Murzin AG, Lesk AM and Chothia C, (1992) Beta-Trefoil fold. Patterns of structure and sequence in the Kunitz inhibitors interleukins-1 beta and 1 alpha and fibroblast growth factors. *J Mol Biol* **223** 531-543.
- Nagata S, Golstein P, (1995) The Fas death factor, *Science* **267** 1449–1456.
- Nancy AT, Thomas AR, Erin PP, Dita MR, Tracy T, (1997) A combinatorial approach de.ne speci.cities of members of the caspase family and granzyme, *Br. J Biol Chem* **272** 17907–17911.
- Nicholson DW, Ali A, Thornberry NA, Valliancourt JP, Ding CK, Gallant M, Gareau PR, (1995) Identifications and inhibition of the ICE/CED3 protease necessary for mammalian caspases, *Nature* **376** 37–43.
- Ohlstein EH, Ruffolo RR, Jr., Elliott JD, (2000) Drug discovery in the next millennium. *Annu Rev Pharmacol Toxicol* **40** 177-91.
- Okayama T, Tamura T , Gojobori T , Tateno Y ,K Ikee , Miyazaki S, (1998) Formal design and implementation of an improved DDBJ DNA database with a new schema and object-oriented library. *Bioinformatics* **14** 472-8.
- Oliva MLV, Souza-Pinto JC, Batista IFC, Araujo MS, Silveria VF, Aureswald E, Mentele R, Eckerskorn C, Sampio MU and Sampaio CA, (2000) *Leucaena Leucocephala* Serine Proteinase inhibitor: Primary Structure and action on Blood coagulation Kinin release and rat paw edma. *Biochim Biophys Acta* **1477**, 64-67.
- Onesti S, Liyod LF, Brick P and Blow DM, (1991) Crystal Structure of a kunitz- type Trypsin Inhibitor from *Erythrine caffra* Seeds. *J Mol Biol* **210** 241-242.
- Ortiz C, Tellier CH, Williams NJ, Stolowich AI, (1991) Diastereotopic covalent binding of the natural inhibitor leupeptin to trypsin detection of two interconverting hemiacetals by solution and solid state NMR spectroscopy, *Biochemistry* **30** 10026–10034.
- PB McGarvey , Huang H, Barker WC, Orcutt BC, Garavelli JS, Srinivasarao GSY, (2000) PIR: a new resource for bioinformatics. *Bioinformatics* **16** 290-291.

- Pearl FM, Lee D, Bray JE, Sillitoe I, Todd AE, Harrison AP, (2000) Assigning genomic sequences to CATH. *Nucl Acids Res.* **28** 277-282.
- Pearson WR, (1995) Comparison of methods for searching protein sequence database, *Protein Sci.* **4** 1145–1160.
- Pearson WR, Lipman DJ, (1988) Improved tools for biological sequence comparison. *Proc Natl Acad Sci USA* **85** 2444-2448.
- Pedersen JT, Olsen OH, Betzel C, Eschenburg S, Branner S, Hastrup S, (1994) Cavity mutants of Savinase. Crystal structures and differential scanning calorimetry experiments give hints of the function of the buried water molecules in subtilisins. *J Mol Biol* **242** 193-202.
- Pedersenagger, Jensendagger LG, Brunak S, Staerfeldt HH, Ussery DW, (2000) A DNA structural atlas for scherichia coli. *J Mol Biol* **299** 907-930.
- Perona JJ, Craik CS and Fletterick RJ, (1993) Locating the catalytic water molecule in serine proteases. *Science* **261** 620-622.
- Perona JJ, Hedstrom L, Rutter WJ and Fletterick RJ, (1995) Structural origins of substrate discrimination in trypsin and chymotrypsin *Biochemistry* **34** 1489-1499.
- Perou CM, Jeffrey SS, van de Rijn M, Rees CA, Eisen MB, Ross DT, Pergamenschikov A, Williams CF, Zhu SX, Lee JC, Lashkari D, Shalon D, Brown PO, Botstein D, (1999) Distinctive gene expression patterns in human mammary epithelial cells and breast cancers. *Proc Natl Acad Sci* **96** 9212-9217.
- Pham CT, Thomas DA, Mercer JD, Ley TJ, (1998) Production of fully active recombinant marine granzyme B in yeast, *J Biol Chem* **273** 1629–1633.
- Pilat D, Fink T, Obermaier-Skrobanek B, Zimmer M, Werkerle H, Lichter P, Jenne DE, (1994) The human met-ase gene (GZMM): structure, sequence, and close physical linkage to the serine protease gene cluster on 19p13.3, *Genomics* **24** 445–450.
- Plattner JJ, Greer J, Fung AK, Stein H, Kleinert HD, Sham HL, Smital JR, and Perun TJ, (1986) Peptide analogues of angiotensinogen. Effect of peptide chain length on renin inhibition. *Biochem Biophys Res Commun* **139** 982.
- Poe M, Wu JK, Blake JT, Zweerink HJ, Sigal NH, (1991) The enzymatic activity of human cytotoxic T-lymphocyte granzyme A and cytotoxicity mediated by cytotoxic T-lymphocytes are potently inhibited by a synthetic antiprotease, FUT-175. *Arch Biochem Biophys.* **284** 215-218.

Prendergast JA, Helgason CD, Bleackley RC, (1992) Quantitative polymerase chain reaction analysis of cytotoxic cell proteinase gene transcripts in T cells. *J Biol Chem* **267** 5090-5095.

Raja S, Baikun W, Mandakini D, Umesh RD, Borries D, Katharina S, Sunil SM, Christopher JF, (2002) Cytotoxic cell granules mediated apoptosis, *J Biol Chem* **277** 49523-49530.

Reichhardt T, (1999) Its sink or swim as a tidal wave of data approaches. *Nature* **399** 517-520.

Robert X, Gottschalk TE, Haser R, Svensson B, Aghajari N. (2002) Expression, purification and preliminary crystallographic studies of alpha-amylase isozyme 1 from barley seeds, *Acta Crystallogr D Biol Crystallogr.* **58** 683-686.

Rodriguez A, Matsuura K, Ody C, Nagata S, Vassalli P, (1996) Systemic injection of a tripeptide inhibits the intracellular activation of CPP32-like proteases in vivo and fully protects mice against Fas-mediated fulminate liver destruction and death, *J. Exp. Med.* **184** 2067-2072.

Ross-Macdonald P, Sheehan A, Friddle C, Roeder GS, Snyder M, (1999) Transposon mutagenesis for the analysis of protein production, function, and localization. *Methods Enzymol* **303** 512-32.

Rotonda J, Garcia-Calvo M, (2001) The three dimensional structure of human granzyme B compared to caspase-3, a key mediator of cell death with cleavage specificity for aspartic acid in P1, *Chem. Biol.* **8** 357-368.

Rotonda J, Nicholson DW, Fazil KM, Gallant M, Gareau Y, Labelle M, Peterson EP, Rasper DM, (1996) The three dimensional structure of apopain/CPP32, a key mediator of apoptosis, *Nat. Struct. Biol.* **3** 619-625.

Ryan CA, (1990) *Annu. Rev. Phytopathol* **28** 425-449.

Sali A, Blundell TL, (1993) Comparative protein modelling by satisfaction of spatial restraints. *J Mol Biol* **234** 779- 815.

Sali A_S, Blundell T, (1990) Definition of general topological equivalence in protein structure, *J Mol Biol* **212** 403-428.

Sali A_S, Blundell T, (1993) Comparative protein modeling by satisfaction of spatial restraints, *J Mol Biol* **234** 779-815.

- Salvesen G, Parley D, Shuman J, Przybyla A, Reilly C, Travis J, (1987) Molecular cloning of human cathepsin G: structural similarity to mast cell and cytotoxic T lymphocyte proteinases. *Biochemistry*, **26** 2289-2293.
- Sampaio CA, Oliva ML, Sampaio MU, Batista IF, Bueno NR, Tanaka AS, Auerswald EA, Fritz H. (1996) Plant serine proteinase inhibitors. Structure and biochemical applications on plasma kallikrein and related enzymes *Immunopharmacology*. **32** 62-66.
- Sanchez R, Sali A, (1997) Evaluation of comparative protein structure modeling by MODELLER-3 *Proteins. Suppl* **1** 50-58.
- Sander C, (2000) Genomic medicine and the future of health care. *Science* **287** 1977-1978.
- Sarin A, Williams MS, Alexander-Miller MA, Berzofsky JA, Zacharchuk CM, Henkark PA, (1997) Target cell lysis by CTL granule exocytosis is independent of ICE/Ced-3 family protease, *Immunity* **6** 209-215.
- Sayers TJ, Brooks AD, Ward JM, Hoshino T, Bere WE, Wiegand GW, Kelly JM, Smyth MJ, Kelley JM, (2001) The restricted expression of granzyme M in human lymphocytes, *J. Immunol.* **166** 765-771.
- Schindler T, Bornmann W, Pellicena P, Miller WT, Clarkson B and Kuriyan J. (2000) Structural mechanism for STI-571 inhibition of abelson tyrosine kinase. *Science* **289** 1938-1942.
- Schuler GD, Epstein JA, Ohkawa H, Kans JA, (1996) Entrez: molecular biology database and retrieval system. *Methods Enzymol* **266** 141-62.
- Shi L, Kam CM, Powers JC, Aebersold R, Greenberg AH, (1992) Purification of three cytotoxic lymphocyte granule proteases that induce apoptosis through distinct substrate and target cell interactions, *J. Exp. Med.* **176** 1521-1529.
- Shresta S, MacIvor DM, Heusel JW, Russell JH, Ley TJ. (1995) Natural killer and lymphokine-activated killer cells require granzyme B for the rapid induction of apoptosis in susceptible target cells. *Proc. Natl. Acad. Sci. USA* **92** 5679-5683.
- Sippl MJ, (1993) Recognition of error in three-dimensional structures of J proteins. *Proteins* **17** 355-362.

Skolnick J, Fetrow JS, (2000) From genes to protein structure and function: novel applications of computational approaches in the genomic era. *TIBT* 18 34-39.

Smyth MJ, O'Connor MD, Trapani JA, (1996) Granzymes: a variety of serine protease specificities encoded by genetically distinct subfamilies, *J. Leukoc. Biol.* 60 555-562.

Smyth MJ, Sayers TJ, Wiltrout T, Powers JC, Trapani JA, (1993) Metase: cloning and distinct chromosomal location of a serine protease preferentially expressed in human natural killer cells, *J. Immunol.* 52 67-95.

Smyth MJ, Trapani JA, (1995) Granzymes: exogenous proteinases that induce target cell apoptosis, *Immunology Today* 76 202-206.

Smyth MJ, Trapani JA, (1998). The relative role of lymphocyte granule exocytosis versus death receptor-mediated cytotoxicity in viral pathophysiology, *J. Virol.* 72 1-9.

Smyth MJ, Wiltrout T, Trapani JA, Ottaway KS, Sowder R, Henderson LE, Kam CM, Powers JC, Young HA, Sayers TJ, (1992) Purification and cloning of a novel serine protease, RNKMet-1, from the granules of a rat natural killer cell leukemia, *J Biol Chem* 267 24418-24425.

Song KK and Suh SW, (1998) Kunitz type Soybean trypsin inhibitor Revisited: Refined Structure of its complex with porcine trypsin reveals an insight into the interaction between a Homologous Inhibitor from *Erythrina Caffra* and tissue type Plasminogen Activator. *J Mol Biol* 275 347-363.

Sreenivasan U and Axelsen PH, (1992) Buried water in homologous serine proteases. *Biochemistry.* 31 12785-12791.

Srinivasan S, March CJ and Sudarsanam S, (1993) An automated method for modeling proteins on known templates using distance geometry. *Protein Sci* 2 227-289.

Srinivasula SM, Fernandes-Alnemri T, Zangirilli J, Robertson N, Armstrong RC, Wang L, Trapani JA, Tomaselli KJ, Litwack G, Alnemri ES, (1996) The Ced-3/interleukin 1b converting enzyme-like homolog Mch6 and the lamin-cleaving enzyme Mch2a are substrates for the apoptotic mediator CPP32, *J Biol Chem* 271 27099-27106.

- Sudarsanam S, (1998) Structural diversity of sequentially identical subsequences of proteins: identical octapeptides can have different conformations. *Proteins* **30** 228-31.
- Swindells MB and Thornton JM, (1993) A study of structural determinants in the interleukin-1 fold. *Protein Eng.* **7** 711-715.
- Syngal S, Fox EA, Eng C, Kolodner RD, Garber JE, (2000) Sensitivity and specificity of clinical criteria for hereditary nonpolyposis colorectal cancer associated mutations in MSH2 and MLH1. *J Med Gen* **37** 641-645.
- Tamayo P SD, Mesirov J, Zhu Q, Kitareewan S, Dmitrovsky E, Lander ES, Golub TR, (1999) Interpreting patterns of gene expression with self-organizing maps: methods and application to hematopoietic differentiation. *Proc Natl Acad Sci USA* **96** 2907-12.
- Tatton WG, Olanow CW. (1999) Apoptosis in neurodegenerative diseases: the role of mitochondria. *Biochim Biophys Acta* **1410** 195-213.
- Tatusov RL, Koonin EV, Lipman DJ, (1997) A genomic perspective on protein families. *Science* **278** 631-7.
- Tatusov RL, Mushegian AR, Bork P, Brown NP, Hayes WS, Borodovsky M, (1996) Metabolism and evolution of *Haemophilus influenzae* deduced from a whole-genome comparison with *Escherichia coli*. *Curr Biol* **6** 279-91.
- Tatusova TA, Karsch-Mizrachi I, Ostell JA, (1999) Complete genomes in WWW Entrez: data representation and analysis. *Bioinformatics* **15** 536-43.
- Thomas PS, (1983) Hybridization of denatured RNA transferred or dotted nitrocellulose paper. **Methods Enzymol** **100** 255-266.
- Thompson JD, Higgins DG, Gibson TJ, (1994) CLUSTAL W: improving the sensitivity of progressive multiple sequence alignment through sequence weighting, position-specific gap penalties and weight matrix choice *Nucl Acid Res* **22** 4673- 4680.
- Thornberry NA, Bull JR, Calaycay KT, Chapman AD, (1992) A novel heterodimeric cysteine protease is required for interleukin-1beta processing in monocytes, *Nature* **356** 768-774.
- Tooze SA, Flatmark T, Tooze J, Huttner WB, (1991) Characterization of the immature secretory granule, an intermediate in granule biogenesis, *J Cell Biol* **115** 1491-1503.

- Towler DA, Adams SP, Eubanks SR, Towery DS, Jackson-Machelski E, Glaser L, Gordon JL, (1987) Purification and characterization of yeast myristoyl CoA:protein N-myristoyltransferase. *Proc Natl Acad Sci USA* **84** 2708-2712.
- Trapani JA, (2001) Granzymes: a family of lymphocytes granule serine proteases, *Genome Biol* **2** 3014.1–3014.7.
- Trong H Le, Neurath H, Woodbury RG, (1987) Substrate specificity of the chymotrypsin-like protease in secretory granules isolated from rat mast cells, *Proc. Natl Acad Sci USA* **84** 364–367.
- Trudeau C, Yuan S, Galipeau J, Benlimame N, Alaoui-Jamali MA, Batist G, (2001) A novel parasite-derived suicide gene for cancer gene therapy with specificity for lung cancer cells., *Hum Gene Ther* **12** 1673-80.
- Uetz P, Giot L, Cagney G, Mansfield TA, Judson RS, Knight JR, (2000) A comprehensive analysis of protein-protein interactions in *Saccharomyces cerevisiae*. *Nature* **403** 623-7.
- Unger R, Harel D, Wherland S, and Sussman JL, (1989) A 3D building blocks approach to analyzing and predicting structure of proteins. *Proteins* **5** 535.
- Utsumi S, (1992) Plant food protein engineering. **Advances in food and nutrition's research** Academic press san Digo, CA, Vol. **36** 89-207.
- Vondrasek J, Wlodawer A, (1997) Database of HIV proteinase structures. *TIBS* **22** 183.
- Vriend G, (1990) A molecular modeling and drug design program, *J Mol Graph* **8** 52–55.
- Walker NPC, Talanian RV, Brady KD, Dang LC, Bump NJ, Ferenz CR, (1994) Crystal structure of the cysteine protease interleukin 1b converting enzymes: a (P20/P10)₂ homodimer, *Cell* **78** 343–352.
- Waterhous DV, Johnson WC, (1994) Importance of environment in determining secondary structure in proteins. *Biochemistry* **33** 2121-2128.
- Watt KA, Koeplinger AM, Mildner RL, Heninrikson AG, Tomasselli KD, Watenpaugh, (1999) The atomic resolution structure of human caspase-8, a key activator of apoptosis, *Struct Fold Des* **7** 1135–1143.
- Waugh SM, Harns JL, Fletterick R, Craik CS, (2000). The structure of the proapoptotic protease granzyme B reveals the molecular determinants of its specificity. *Nat Struct Biol* **7** 762-765.

Weber IT, Miller M, Jaskolski M, Leis J, Skalla AM, and Wlodawer A, (1989) Molecular Modelling of HIV-1 protease and its substrate binding Site , *Science* **243** 928.

Wei Y, Fox T, Chambers SP, Sintchak J, Coll JT, Golec JM, Swenson L, Wilson KP, Charifson PS, (2000) The structures of caspases-1, -3, -7 and-8 reveal the basis for substrate and inhibitor selectivity, *Chem Biol* **7** 423–432.

Weintraub BD, Szkudlinski MW, (1999) Development and in vitro characterization of human recombinant thyrotropin, *Thyroid* **9** 447-50

Wilson KP, Black JF, Thomson JT, Kim EK, Griffith JP, Navia MN, (1994) Structure and mechanism of interleukin-1b converting enzymes, *Nature* **370** 270–274.

Xavier-Filho J, Campos FA, (1983) The use of anhydrotrypsin-Sepharose for isolation of trypsin inhibitors from *Vigna unguiculata* seeds. *Braz J Med Biol Res.* **16** 11-5.

Zhang D, Beresford PJ, Greenberg AH, Leiberman J, (2001) Granzyme A and B directly cleave lamins disrupt the nuclear laminin during granule mediated cytolysis *Proc Natl Acad Sci USA* **98** 5746–5751.