

CONTENTS

	Page
List of Tables	vii
List of Figures	xiv
Acknowledgement	xvi
Abstract	xviii
1 INTRODUCTION	1
2 REVIEW OF LITERATURE	7
2.1 SUNFLOWER HYBRIDS	7
2.2 PHYSIO-MORPHIC ATTRIBUTES	10
2.3 GROWING CONDITIONS	20
2.4 OIL AND OIL QUALITY	27
3 MATERIALS AND METHODS	31
3.1 METEOROLOGICAL DATA	31
3.2 FIELD EXPERIMENTS	31
3.2.1 Agro-Morphological Parameters	32
3.2.1.1 Plant height at maturity (cm)	33
3.2.1.2 Number of leaves plant ⁻¹	33
3.2.1.3 Stem diameter (cm)	33
3.2.1.4 Number of achenes head ⁻¹	33
3.2.1.5 Hundred achene weight (g)	33
3.2.1.6 Biological yield (kg ha ⁻¹)	33
3.2.1.7 Achene yield (kg ha ⁻¹)	34
3.2.1.8 Leaf area (LA)	34
3.2.1.9 Leaf area index (LAI)	34
3.2.1.10 Specific leaf area (SLA)	34
3.2.2 Physiological Parameters	34
3.2.2.1 Chlorophyll contents	35

3.2.2.2 Stomatal conductance (g_s)	35
3.2.2.3 Stomatal resistance (r_s)	36
3.2.2.4 Photosynthetic rate (A)	36
3.2.2.5 Transpiration rate (E)	36
3.2.2.6 Relative water contents (RWC)	36
3.2.2.7 Crop growth rate (CGR)	37
3.2.2.8 Net assimilation rate (NAR)	37
3.2.3 Seed Quality Parameters	38
3.2.3.1 Oil content (%)	38
3.2.3.2 Fatty acid profile (%)	38
3.2.3.3 Protein content (%)	39
3.2.4 Statistical analysis	39
4 RESULTS AND DISCUSSION	41
4.1 MORPHOLOGICAL PARAMETERS	41
4.1.1 Plant Height	41
4.1.2 Number of Leaves	43
4.1.3 Number of Achenes Head ⁻¹	44
4.1.4 Hundred Achene Weight (g)	47
4.1.5 Stem Diameter (cm)	47
4.1.6 Biological Yield (kg ha ⁻¹)	50
4.1.7 Achene Yield (kg ha ⁻¹)	51
4.1.8 Leaf Area at Different Crop Growth Stages	54
4.1.8.1 Leaf area at 10 days after emergence	54
4.1.8.2 Leaf area at 20 days after emergence	56
4.1.8.3 Leaf area at 30 days after emergence	56
4.1.8.4 Leaf area at 40 days after emergence	57
4.1.8.5 Leaf area at 50 days after emergence	59
4.1.8.6 Leaf area at 60 days after emergence	60
4.1.9 Leaf Area Index at Different Crop Growth Stages	63
4.1.9.1 Leaf area index at 10 days after emergence	63

4.1.9.2 Leaf area index at 20 days after emergence	64
4.1.9.3 Leaf area index at 30 days after emergence	64
4.1.9.4 Leaf area index at 40 days after emergence	66
4.1.9.5 Leaf area index at 50 days after emergence	68
4.1.9.6 Leaf area index at 60 days after emergence	68
4.1.10 Specific Leaf Area at Different Crop Growth Stages	72
4.1.10.1 Specific leaf area at 10 days after emergence	72
4.1.10.2 Specific leaf area at 20 days after emergence	73
4.1.10.3 Specific leaf area at 30 days after emergence	73
4.1.10.4 Specific leaf area at 40 days after emergence	75
4.1.10.5 Specific leaf area at 50 days after emergence	75
4.1.10.6 Specific leaf area at 60 days after emergence	77
4.2 PHYSIOLOGICAL PARAMETERS	79
4.2.1 Chlorophyll Contents at Different Crop Growth Stages	79
4.2.1.1 Chlorophyll contents at 10 days after emergence	81
4.2.1.2 Chlorophyll contents at 20 days after emergence	82
4.2.1.3 Chlorophyll contents at 30 days after emergence	83
4.2.1.4 Chlorophyll contents at 40 days after emergence	85
4.2.1.5 Chlorophyll contents at 50 days after emergence	85
4.2.1.6 Chlorophyll contents at 60 days after emergence	86
4.2.2 Stomatal Conductance at Different Crop Growth Stages	90
4.2.2.1 Stomatal conductance at 10 days after emergence	90
4.2.2.2 Stomatal conductance at 20 days after emergence	91
4.2.2.3 Stomatal conductance at 30 days after emergence	91
4.2.2.4 Stomatal conductance at 40 days after emergence	93
4.2.2.5 Stomatal conductance at 50 days after emergence	95
4.2.2.6 Stomatal conductance at 60 days after emergence	95
4.2.3 Stomatal Resistance at Different Crop Growth Stages	99
4.2.3.1 Stomatal resistance at 10 days after emergence	99

4.2.3.2 Stomatal resistance at 20 days after emergence	100
4.2.3.3 Stomatal resistance at 30 days after emergence	100
4.2.3.4 Stomatal resistance at 40 days after emergence	102
4.2.3.5 Stomatal resistance at 50 days after emergence	102
4.2.3.6 Stomatal resistance at 60 days after emergence	104
4.2.4 Photosynthetic Rate at Different Crop Growth Stages	107
4.2.4.1 Photosynthetic rate at 10 days after emergence	107
4.2.4.2 Photosynthetic rate at 20 days after emergence	108
4.2.4.3 Photosynthetic rate at 30 days after emergence	110
4.2.4.4 Photosynthetic rate at 40 days after emergence	111
4.2.4.5 Photosynthetic rate at 50 days after emergence	111
4.2.4.6 Photosynthetic rate at 60 days after emergence	113
4.2.5 Transpiration Rate at Different Crop Growth Stages	117
4.2.5.1 Transpiration rate at 10 days after emergence	117
4.2.5.2 Transpiration rate at 20 days after emergence	118
4.2.5.3 Transpiration rate at 30 days after emergence	118
4.2.5.4 Transpiration rate at 40 days after emergence	120
4.2.5.5 Transpiration rate at 50 days after emergence	122
4.2.5.6 Transpiration rate at 60 days after emergence	122
4.2.6 Relative Water Contents	126
4.2.6.1 Relative water contents at pre-flowering stage	126
4.2.7 Crop Growth Rate at Different Crop Growth Stages	129
4.2.7.1 Crop growth rate at 10 days after emergence	129
4.2.7.2 Crop growth rate at 20 days after emergence	129
4.2.7.3 Crop growth rate at 30 days after emergence	131
4.2.7.4 Crop growth rate at 40 days after emergence	132
4.2.7.5 Crop growth rate at 50 days after emergence	134
4.2.7.6 Crop growth rate at 60 days after emergence	134
4.2.8 Net Assimilation Rate at Different Crop Growth Stages	138
4.2.8.1 Net assimilation rate at 10 days after emergence	138

4.2.8.2	Net assimilation rate at 20 days after emergence	139
4.2.8.3	Net assimilation rate at 30 days after emergence	139
4.2.8.4	Net assimilation rate at 40 days after emergence	141
4.2.8.5	Net assimilation rate at 50 days after emergence	143
4.2.8.6	Net assimilation rate at 60 days after emergence	143
4.3	ACHENE QUALITY PARAMETERS	147
4.3.1	Achene Oil Content	147
4.3.2	Fatty Acid Profile	150
4.3.2.1	Oleic acid	150
4.3.2.2	Linoleic acid	153
4.3.2.3	Stearic acid	155
4.3.2.4	Palmatic acid	158
4.3.3	Protein Contents	160
4.4	CORRELATION	163
4.4.1	Correlation among Morphological Parameters, Achene Yield and Quality Attributes in Sunflower during Spring Season.	163
4.4.2	Correlation among Morphological Parameters, Achene Yield and Quality Attributes in Sunflower during Autumn Season.	163
4.4.3	Correlation between Weather and Morphological Parameters of Sunflower during Spring Season.	163
4.4.4	Correlation between Weather and Morphological Parameters of Sunflower during Autumn Season	164
4.4.5	Correlation among Physiological Parameters, Achene Yield and Quality Attributes in Sunflower during Spring Season.	164
4.4.6	Correlation among Physiological Parameters, Achene Yield and Quality Attributes in Sunflower during Autumn Season.	167
4.4.7	Correlation between Weather and Plant Parameters of Sunflower during Spring Season.	167

4.4.8	Correlation between Weather and Plant Parameters of Sunflower during Autumn Season	168
5	OIL AND FATTY ACID (%) IN DIFFERENT CIRCLES OF SUNFLOWER HYBRIDS	171
5.1	INTRODUCTION	171
5.2	MATERIALS AND METHODS	172
5.3	OIL CONTENT (%) IN DIFFERENT CIRCLES OF SUNFLOWER HYBRIDS	173
5.4	FATTY ACID (%) IN DIFFERENT CIRCLES OF SUNFLOWER HYBRIDS	179
5.4.1	Oleic acid (%) in Different Circles of Sunflower Hybrids	179
5.4.2	Linoleic acid (%) in Different Circles of Sunflower Hybrids	182
5.4.3	Stearic acid (%) in Different Circles of Sunflower Hybrids	185
5.4.4	Palmitic acid (%) in Different Circles of Sunflower Hybrids	186
6	GENERAL DISCUSSION	190
	SUMMARY	198
	LITERATURE CITED	201
	APPENDICES	218