

بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ



**TAXONOMY AND ECOLOGY OF WANDERING  
SPIDERS OF CITRUS AND GUAVA  
ORCHARDS, AND VINEYARD**

BY

**ABIDA BUTT**

**M.Sc. (Zoology) (U.A.F.)**

*M.S.C. (Zoology) (U.A.F.)*

A thesis submitted in partial fulfillment  
of requirement of the degree of

**DOCTOR OF PHILOSOPHY**

IN

*By M.*

**ZOOLOGY**

**DEPARTMENT OF ZOOLOGY  
FACULTY OF SCIENCES  
UNIVERSITY OF AGRICULTURE  
FAISALABAD**

1996

*Mirza Azhar Beg*

DEAN,  
Faculty of Sciences,  
University of Agriculture,  
FAISALABAD.

*Jamshed Akbar*

CHAIRMAN,  
Deptt. Zoology & Fisheries  
University of Agriculture,  
Faisalabad.

To

The Controller of Examinations,  
University of Agriculture,  
Faisalabad.

"We, the members of the Supervisory Committee,  
certify that the contents and form of the thesis submitted  
by Miss ABIDA BUTT have been found satisfactory and recommend  
that it should be processed for evaluation by the External  
Examiners for the award of degree."

SUPERVISORY COMMITTEE

CHAIRMAN:

*Mirza Azhar Beg*  
DR. MIRZA AZHAR BEG

MEMBER:

*Shakila Khalid*  
DR. SHAKILA KHALID

MEMBER:

*Jamshed Akbar*  
DR. SHAMSHAD AKBAR

**DEDICATED TO MY PARENTS AND  
TEACHER DR. MIRZA AZHAR BEG**

## **ACKNOWLEDGMENTS**

## ACKNOWLEDGMENTS

My warmest thanks go to Dr. Mirza Azhar Beg, without whose help and guidance the preparation of this manuscript would have been not possible. I am also grateful to him for providing me transportation, manpower, chemicals and glasswares out of the funds of Promotion of Research Project sponsored by the University Grants Commission. I am thankful to Dr. Shakila Khalid, Dr. Shamsad Akaber and Dr. Akbar Ali Khan for giving me valuable suggestions for improving the manuscript of my thesis. I thank Dr. B. K. Richman and Dr. N. I. Platnick for helping me in the identification of some of my specimens. I am grateful to Abdul Hameed (driver) and Muhammad Ashraf (attendant in Zoology Department) for their cooperation during trapping in the field. I am also grateful to Dr. Mirza Azhar Beg for providing me transportation, manpower, chemicals and glassware from out of the funds of promotion of research project funded by University Grants Commission. I must also express my gratitude to my teachers, friends and family members for their cooperation.

CONTENTS

  
 DIRECTOR

CHAPTER		ADVANCED STUDIES PAGE. NO.
I	INTRODUCTION .....	1
II	REVIEW OF LITERATURE .....	4
III	STUDY AREA .....	10
	Vineyard .....	10
	Citrus grove .....	13
	Guava grove .....	13
	Climate .....	14
IV	MATERIALS AND METHODS .....	18
	Sampling and data collection .....	18
	Scaling and standerdization .....	19
	Species identification .....	19
	Statistical analyses .....	21
	Expected number of species .....	21
	Diversity indices .....	23
	Effect of environmental factors .....	25
	Niche breadth and overlap indices .....	26
V	RESULTS .....	29
	Taxonomic study .....	29
	Morphology and terminology .....	29
	Family Erigonidae .....	34
	Genus <i>Erigone</i> .....	34
	<i>Erigone dentata</i> .....	35
	<i>Erigonidae 1</i> .....	38
	Family Lycosidae.....	41
	Genus <i>Hippasa</i> .....	42
	<i>Hippasa dignus</i> .....	43
	Genus <i>Pardosa</i> .....	46
	<i>Pardosa oakleyi</i> .....	46
	<i>Pardosa birmanica</i> .....	48
	Genus <i>Lycosa</i> .....	50
	<i>Lycosa maculata</i> .....	52
	<i>Lycosa terrestris</i> .....	54
	<i>Lycosa vulgaris</i> .....	57
	<i>Lycosa remota</i> .....	60
	<i>Lycosa nigricans</i> .....	63
	<i>Lycosa erronis</i> .....	66
	Family Oxyopidae.....	70
	Genus <i>Oxyopes</i> .....	70
	<i>Oxyopes azhari</i> .....	71

UNIVERSITY OF AGRICULTURE  
 FAISALABAD

no = 3. 12  
 8-1-96



Family Clubionidae.....	75
Genus <i>Castianeira</i> .....	75
<i>Castianeira amiantis</i> .....	76
Family Gnaphosidae.....	79
Genus <i>Drassodes</i> .....	80
<i>Drassodes comatus</i> .....	81
Genus <i>Gnaphosa</i> .....	84
<i>Gnaphosa elegantis</i> .....	85
<i>Gnaphosa subpoonaensis</i> .....	88
Genus <i>Sosticus</i> .....	91
<i>Sosticus mirus</i> .....	92
Genus <i>Talanitis</i> .....	95
<i>Talanitis extraneous</i> .....	95
Genus <i>Zelotus</i> .....	97
<i>Zelotus illustris</i> .....	99
<i>Zelotus faisalabadensis</i> .....	102
<i>Zelotus pakistaniensis</i> .....	104
<i>Zelotus pulchellus</i> .....	107
Gnaphosidae 1.....	109
Family Sparassidae .....	112
Genus <i>Eusparassus</i> .....	112
<i>Eusparassus</i> sp. ....	113
Family Thomisidae.....	115
Genus <i>Philodromus</i> .....	116
<i>Philodromus amoenus</i> .....	117
Genus <i>Thanatus</i> .....	120
<i>Thanatus promptus</i> .....	120
Genus <i>Misumena</i> .....	124
<i>Misumena ladauta</i> .....	124
Genus <i>Oxyptila</i> .....	127
<i>Oxyptila nemestina</i> .....	128
Genus <i>Runcinia</i> .....	131
<i>Runcinia trabecula</i> .....	132
Family Salticidae.....	135
Genus <i>Marpissa</i> .....	135
<i>Marpissa carinata</i> .....	137
<i>Marpissa tenebrosa</i> .....	140
<i>Marpissa mirabilis</i> .....	143

CHAPTER	CONTENTS	PAGE. NO.
	<i>Marpissa insignis</i> .....	145
	Genus <i>Phidippus</i> .....	148
	<i>Phidippus notabilis</i> .....	149
	<i>Phidippus eximius</i> .....	152
	Genus <i>Plexippus</i> .....	155
	<i>Plexippus primarius</i> .....	156
	Ecological study .....	160
	Vineyard.....	164
	First year's data.....	164
	Second year's data.....	180
	Comparison of yearly samples.....	194
	Citrus grove .....	198
	First year's data .....	198
	Second year's data .....	211
	Comparison of yearly samples.....	225
	Guava grove .....	228
	First year's data .....	228
	Second year's data.....	242
	Comparison of yearly samples .....	256
	Inter-habitat comparison .....	259
	First year's data.....	259
	Second year's data.....	262
	Coexistence of common species .....	265
	Activity patterns .....	265
	Habitat preferences .....	268
	Niche breadth (B) .....	271
	Niche overlap .....	273
	Complementary niche dimension .....	278
VI	DISCUSSION .....	281
VII	SUMMARY .....	294
	LITERATURE CITED .....	299
	APPENDICES .....	311

## LIST OF TABLES

NO.	TITLE	PAGE.NO
1.	Fifteen years (1980 to 1994) average climatic data for Faisalabad campus of the University of Agriculture.	15
2.	Average climatic data for campus of the University of Agriculture for the two years of the present study.	16
3.	Scaling of irrigation and ploughing, and vegetation cover data.	20
4.	Number and abundance of species recorded from the three habitats during the first (March, 1992 through February, 1993) and second (March, 1993 through February, 1994) year of the study.	161-162
5.	Spiders captured from the vineyard each month in 1992-93. (M=adult male ; F= adult female; Y= young of both sexes)	165-166
6.	Species diversity indices for the spiders captured from the vineyard during 1992-93.	169
7.	Principal Component Analysis for 12 monthly samples (=SU) based on the abundance of nineteen spider species recorded from the vineyard during 1992-93.	172-173
8.	Pearson correlation coefficients for spider species collected from the vineyard in 1992-93.	175
9.	Coordinates for 12 SUs (1992-93) of the vineyard on principal components (PC) I, II and III along with the measures for six environmental factors which have been standardized.	177
10.	Results for simple and multiple linear regression of SU component scores onto six environmental factors.	178-179
11.	Spiders captured from the vineyard each month in 1993-94. (M=adult male ; F= adult female; Y= young of both sexes)	181-182
12.	Species diversity indices for the spiders captured from the vineyard during 1993-94.	184

NO.	TITLE	PAGE NO
13.	Principal Component Analysis for 12 monthly samples (=SUs) based on the abundance of eleven spider species recorded from vineyard during 1993-94.	187
14.	Pearson correlation coefficient for spider species collected from the vineyard in 1993-94.	189
15.	Coordinates for 12 SUs (1993-94) of the vineyard on principal components (PC) I,II and III along with the measures of seven environmental factors (EF) which have been standardized.	191
16.	Results for simple and multiple linear regression of SU component scores onto seven environmental factors.	192-193
17.	Spiders captured from the citrus grove each month in 1992-93. (M=adult male ; F= adult female; Y= young of both sexes)	199
18.	Species diversity indices for spiders captured from the citrus grove during 1992-93.	202
19.	Principal Component Analysis for 12 monthly samples (=SUs) based on the abundance of twelve spider species recorded from the citrus grove during 1992-93.	204
20.	Pearson correlation coefficient for spider species collected from citrus grove in 1992-93.	206
21.	Coordinates for 12 SUs (1992-93) of the citrus grove on principal components (PC) I,II and III along with the measures for seven environmental factors (EF) which have been standerdized.	208
22.	Results for simple and multiple linear regression of SU component scores onto seven environmental factors.	209-210
23.	Spiders captured from the citrus grove each month in 1993-94. (M=adult male.; F= adult female; Y= young of both sexes)	212-213
24.	Species diversity indices for spiders captured from the citrus grove during 1993-94.	215
25.	Principal Component Analysis for 12 monthly samples based on the abundance of thirteen spider species recorded from citrus grove during 1993-94.	218
26.	Pearson correlation coefficient for spider species collected from the citrus grove in 1993-94.	220

NO.	TITLE	PAGE. NO
27.	Coordinates for 12 SUs (1993-94) of the citrus grove on principal components (PC) I,II and III along with the measures for seven environmental factors (EF) which have been standardized.	222
28.	Results for simple and multiple linear regression of SU component scores onto seven environmental factors.	223-224
29.	Spiders captured from the guava grove each month in 1992-93. (M=adult male ; F= adult female; Y= young of both sexes)	229-230
30.	Species diversity indices for spiders captured from the guava grove during 1992-93.	233
31.	Principal Component Analysis for 12 monthly samples based on the abundance of 13 spider species recorded from guava grove during 1992-93.	235
32.	Pearson correlation coefficient for spider species collected from the guava grove in 1992-93.	237
33.	Coordinates for 12 SUs (1992-93) of guava grove on principal components (PC) I,II and III along with the measures for six environmental factors (EF) which have been standardized.	239
34.	Results for simple and multiple linear regression of SU component scores onto six environmental factors.	240-241
35.	Spiders captured from the guava grove each month in 1993-94. (M=adult male ; F= adult female; Y= young of both sexes)	243-244
36.	Species diversity indices for spiders captured from guava field during 1993-94.	247
37.	Principal Component Analysis for 12 monthly samples (=SUs) based on the abundance of eight spider species recorded from guava grove during 1993-94.	249
38.	Pearson correlation coefficient for spider species collected from guava grove in 1993-94.	251
39.	Coordinates for 12 SUs (1993-94) of guava grove on principal components (PC) I,II and III along with the measures for seven environmental factors (EF) which have been standardized.	253

NO.	TITLE	PAGE. NO
40.	Results for simple and multiple linear regression of SU component scores onto six environmental factors.	254-255
41.	Median body length and size ratio for seven common species of wandering spiders; species are arranged in order of decreasing size from top to bottom.	270
42.	Niche breadth (B) values (Levins, 1968) for the six species of wandering spiders. The values are standardized to range from 0.0 to 1.0. Species are arranged in order of decreasing size from top to bottom.	272
43.	Resource overlap values between six common species of wandering spiders captured during (a) 1992-93 and (b) 1993-94 on the bases of exploitation of two niche dimensions (time and habitat) as well as overall overlap values.	274
44.	Values of general overlap (GO) in time and habitat computed using data of six common spider species.	275-278
45.	Structure of spider community in terms of distribution and abundance of individuals and species. The table is based on the data collected from March, 1992 through February, 1994.	284
46.	Comparison of niche overlaps (time and habitat) of present study with the studies of Utez (1977), and Turner and Polis (1979).	290

## LIST OF FIGURES

NO.	TITLE	PAGE. NO
1.	Map of Pakistan.	11
2.	A map showing location of vineyard (V), citrus (C), guava (G), mango (M) and date (D) orchards, and fodder fields (F) in the Experimental Fruit Orchard (Square No. 9) of the campus of University of Agriculture, Faisalabad. The shaded areas are the fields (orchards/vineyard) that were sampled for the spiders. The location of the pitfall traps in those fields have been indicated by the dot. Number of trees/grapes vines are given in parentheses.	12
3.	Average atmospheric temperature, relative humidity and rainfall for the Faisalabad campus of the University of Agriculture for the two years of the present study. The solid lines are for the year 1992-93 and the broken lines for the year 1993-94.	17

## TAXONOMIC STUDIES

4-6.	Morphology of a spider. 4. Dorsal view. 5. Ventral view. 6. Lateral view.	30
7-11.	Morphology of a spider. 7-8. Front view of cephalothorax. 9. Chelicera. 10. Ventral view of cephalothorax. 11. claw.	31
12-19.	12. <i>Erigone dentata</i> sp. nov. 13. Cephalothorax, lateral view. 14. Maxilla. 15. Palp, ventral view. 16-17. Palp, retro-lateral view. 18. Epigynum, dorsal view. 19. Epigynum, lateral view.	36
20-22.	20. <i>Erigonidae</i> 1. 21. Palp, ventral view. 22. Palp, anterior view.	39
23-26.	23. <i>Hippasa dignus</i> sp. nov. 24. Palp, ventral view. 25. Epigynum, dorsal view. 26. Epigynum, ventral view.	44
27-30.	27. <i>Pardosa oakleyi</i> Gravely. 28. Palp, ventral view. 29. Epigynum, dorsal view. 30. Epigynum, ventral view.	47
31-34.	31. <i>Pardosa birmanica</i> Simon. 32. Palp, ventral view. 33. Epigynum, dorsal view. 34. Epigynum, ventral view.	49
35-37.	35. <i>Lycosa maculata</i> sp. nov. 36. Epigynum, dorsal view. 37. Epigynum, ventral view.	52



NO.	TITLE	PAGE.NO
38-40.	38. <i>Lycosa terrestris</i> sp. nov. 39. Epigynum, dorsal view. 40. Epigynum, ventral view.	56
41-44.	41. <i>Lycosa vulgaris</i> sp. nov. 42. Palp, ventral view. 43. Epigynum, dorsal view. 44. Epigynum, ventral view.	59
45-46.	45. <i>Lycosa remota</i> sp. nov. 46. Palp, ventral view.	62
47-50.	47. <i>Lycosa nigricans</i> sp. nov. 48. Palp, ventral view. 49. Epigynum, dorsal view. 50. Epigynum, ventral view.	65
51-54.	51. <i>Lycosa erronis</i> sp. nov. 52. Palp, ventral view. 53. Epigynum, dorsal view. 54. Epigynum, ventral view.	68
55-59.	55. <i>Oxyopes azhari</i> sp. nov. 56. Palp, ventral view. 57. Palp, retro-lateral view. 58. Epigynum, dorsal view. 59. Epigynum, ventral view.	72
60-61.	60. <i>Castianeira amiantis</i> sp. nov. 61. Palp, ventral view.	71
62-65.	62. <i>Drassodes comatus</i> sp. nov. 63. Palp, ventral view. 64. Epigynum, dorsal view. 65. Epigynum, ventral view.	82
66-68.	66. <i>Gnaphosa elegantis</i> sp. nov. 67. Palp, ventral view. 68. Epigynum, ventral view.	86
69-72.	69. <i>Gnaphosa subpoonaensis</i> sp. nov. 70. Palp, ventral view. 71. Epigynum, dorsal view. 72. Epigynum, ventral view.	89
73-74.	73. <i>Sosticus mirus</i> sp. nov. 74. Epigynum, ventral view.	93
75-77.	75. <i>Talanitis extraneous</i> sp. nov. 76. Palp, ventral view. 77. Palp, retro-lateral view.	96
78-81.	78. <i>Zelotus illustris</i> sp. nov. 79. Palp, ventral view. 80. Epigynum, dorsal view. 81. Epigynum, ventral view.	100
82-84.	82. <i>Zelotus faisalabadensis</i> sp. nov. 83. Epigynum, dorsal view. 84. Epigynum, ventral view.	103
85-87.	85. <i>Zelotus pakistaniensis</i> sp. nov. 86. Epigynum, dorsal view. 87. Epigynum, ventral view.	105
88-89.	88. <i>Zelotus pulchellus</i> sp. nov. 89. Palp, ventral view.	108
90-92.	90. Gnaphosidae 1. 91. Palp, ventral view. 92. Palp, retro-lateral view.	110
93.	<i>Sparassus</i> sp.	114