

Table of Contents

Dedication.....	iv
Acknowledgements.....	v
Declaration.....	vii
Abstract.....	viii
Table of Contents.....	xii
List of Figures.....	xix
List of Tables.....	xxv
List of Abbreviations.....	xxvi
List of Symbols.....	xxx
1 Introduction.....	1
1.1 History of organic solar cells.....	4
1.2 Motivation.....	5
1.3 Objectives.....	8
1.4 Outline.....	8
1.5 References.....	10
2 Physics of organic semiconductors.....	14
2.1 Introduction to organic semiconductors.....	14
2.2 Energy levels in organic semiconductors.....	18
2.3 Aromatic molecules.....	19
2.4 Macrocyclic organic semiconductors.....	20
2.4.1 Metallo-Phthalocyanines (MPcs).....	21
2.4.2 Metallo-Porphyrins (MPPs).....	22
2.5 Doping in organic materials.....	24
2.5.1 Doping by oxygen traps and photogeneration.....	25
2.6 Charge carrier mobility of organic semiconductors.....	26
2.7 Solubility of macrocyclic organic semiconductors.....	28
2.8 Molecular packing and mobility of macrocyclic semiconductors.....	29
2.9 Mechanism of charge transport in organic semiconductors.....	30
2.9.1 Hopping.....	31
2.10 Tunneling.....	32

2.11	References.....	33
3	Fundamentals of organic solar cells	39
3.1	Working mechanism of organic solar cells.....	39
3.1.1	Donor and acceptor semiconductors.....	39
3.1.2	Choice of donor and acceptor energy levels.....	40
3.1.3	Ideal donor	41
3.1.4	Ideal acceptor	43
3.1.5	Working mechanism	44
3.1.6	Types of excitons	48
3.2	The solar spectrum.....	48
3.3	Organic solar cells architecture.....	52
3.3.1	Single layer organic solar cell.....	52
3.3.2	Bilayer organic solar cell	53
3.3.2.1	Bilayer organic/organic solar cell.....	53
3.3.2.2	Bilayer organic/inorganic (hybrid) solar cell.....	55
3.3.3	Bulk Heterojunction solar cell	56
3.4	Equivalent electrical circuit of a photovoltaic cell	58
3.5	Solar cell parameters.....	60
3.5.1	Origin of open circuit voltage (V_{oc}).....	60
3.5.2	Shunt and series resistances	61
3.5.3	Maximum power point (MPP).....	62
3.5.4	Fill Factor (FF)	62
3.5.5	Power conversion efficiency (PCE).....	63
3.5.6	Quantum efficiency (QE).....	63
3.5.7	Incident photon to charge carrier conversion efficiency (IPCE) or external quantum efficiency (EQE)	64
3.5.8	Internal Quantum Efficiency (IQE)	64
3.6	Loss mechanism in organic solar cells.....	65
3.6.1	Non-radiative recombination	66
3.6.2	Radiative recombination	67
3.7	References.....	67

4	Materials and methods	74
4.1	Materials	74
4.1.1	Metal Electrode materials	74
4.1.2	Molecular electrode materials.....	74
4.1.2.1	Indium tin oxide (ITO).....	75
4.1.2.2	Poly(3,4-ethylenedioxythiophene):polysyrenesulphonate (PEDOT:PSS)	77
4.1.3	Organic Materials.....	79
4.1.3.1	Vanadyl 2,9,16,23-tetraphenoxy-29H,31H-phthalocyanine (VOPcPhO)	79
4.1.3.2	Copper (II) tetrakis(4-cumylphenoxy) phthalocyanine (Tc-CuPc).....	80
4.1.3.3	5,10,15,20-Tetraphenyl-21H, 23H-porphine zinc (ZnTPP).....	82
4.1.3.4	[6,6]-phenyl-C61 butyric acid methyl ester (PCBM)	84
4.2	Device preparation.....	86
4.2.1	ITO patterning.....	87
4.2.2	ITO cleaning in ultrasonic bath.....	88
4.2.3	Spin coating of PEDOT:PSS	88
4.2.4	Preparation of blended solution	89
4.2.4.1	Solvent	89
4.2.4.2	Mass ratio (X:Y)	89
4.2.4.3	Concentration of solution (wt./vol. %)	89
4.2.5	Spin coating of blended layer	89
4.2.6	Vacuum thermal evaporation of the Al electrode.....	90
4.3	Fabrication methods.....	91
4.3.1	Dry processing	91
4.3.1.1	Vacuum thermal evaporation.....	91
4.3.2	Wet processing.....	94
4.3.2.1	Spin-coating	94
4.3.2.2	Screen-printing.....	96
4.4	Characterization methods.....	97
4.4.1	Transmission and reflection measurements	97

4.4.2	Photocurrent and $I-V$ curve measurements	97
4.4.3	Atomic force microscopy (AFM)	99
4.4.4	Scanning electron microscopy (SEM)	101
4.4.5	Stylus surface profilometer	104
4.5	References.....	105
5 Fabrication and Characterization of ZnTPP:PCBM Bulk Heterojunction		
(BHJ) Solar Cells.....		111
5.1	Introduction.....	111
5.2	Experimental.....	114
5.2.1	Substrate.....	114
5.2.2	Hole transport layer.....	115
5.2.3	Electron donor.....	115
5.2.4	Electron acceptor	115
5.2.5	Metal Electrode.....	116
5.2.6	Solution preparation for blended layer	116
5.2.7	Device fabrication.....	116
5.3	Results and discussions.....	117
5.3.1	Reflection and transmission measurements	117
5.3.2	SEM cross sectional image	119
5.3.3	Comparative photocurrent spectra	120
5.3.4	Incident photon to charge carrier conversion efficiency (IPCE) spectra	121
5.3.5	Current density-voltage ($J-V$) characteristics.....	122
5.3.5.1	In dark and under AM 1.5G simulated solar spectrum.....	122
5.3.5.2	Under a monochromatic illumination at 440 nm	124
5.3.6	Measured solar cell parameters.....	125
5.3.6.1	Under AM 1.5G illumination.....	125
5.3.6.2	Under a monochromatic illumination at 440 nm	126
5.3.7	Energy levels.....	126
5.3.8	Effect of thermal annealing.....	128
5.3.9	Absorption spectra	129
5.4	Conclusions.....	131

5.5	References.....	132
6	Effect of active layer thickness on opto-electronic characteristics of porphyrin-fullerene photovoltaic cell.....	137
6.1	Introduction.....	137
6.2	Experimental.....	141
6.2.1	Materials	141
6.2.2	Preparation of blended solution	141
6.2.3	Device fabrication.....	141
6.2.4	Characterization	142
6.3	Results and discussion	144
6.3.1	Layer thickness from optical density	144
6.3.2	Layer thickness as a function of spin speed.....	145
6.3.2.1	Curve fitting results.....	146
6.3.3	Optical densities.....	146
6.3.4	$J(V)$ Characteristics under AM1.5G illumination.....	148
6.3.5	Measured solar cell parameters.....	149
6.3.6	Incident photon-to-charge carrier conversion efficiency (IPCE) spectra	150
6.3.7	Energy levels.....	152
6.3.8	Surface morphology and grain size.....	152
6.4	Conclusions.....	155
6.5	References.....	156
7	Investigation of temperature-dependent electrical properties of p-VOPcPhO/n-Si heterojunction under dark conditions.....	160
7.1	Introduction.....	160
7.2	Materials	162
7.2.1	Inorganic semiconductor (substrate).....	162
7.2.2	Organic Semiconductor	162
7.3	Experimental.....	163
7.4	Characterization	163
7.5	Results and discussion	164
7.5.1	Temperature dependent dark current-voltage characteristics	164

7.5.2	Differential resistance	165
7.5.3	Reverse saturation current and diode ideality factor.....	166
7.5.4	Conduction mechanisms	167
7.5.5	Cheung and Cheung method.....	170
7.5.6	The barrier-height	172
7.5.7	Effective capacitance	173
7.5.8	Effect of temperature on various heterojunction parameters.....	173
7.5.9	Comparison of heterojunctions fabricated with different materials	174
7.6	Conclusions.....	175
7.7	References.....	175
8	Investigation of temperature-dependent electrical and optical properties of Tc-	
	CuPc:PCBM bulk heterojunction (BHJ).....	179
8.1	Introduction.....	179
8.2	Experimental.....	181
8.2.1	Materials	181
8.2.2	Preparation of blended solution	181
8.2.3	Device preparation	181
8.2.4	Characterization	182
8.3	Results and discussions.....	183
8.3.1	Optical densities.....	183
8.3.2	$J(V)$ Characteristics under illumination	184
8.3.2.1	Under AM 1.5G simulated solar spectrum	184
8.3.2.2	Under a monochromatic illumination at 615 nm	185
8.3.3	Measured solar cell parameters.....	186
8.3.4	Energy levels.....	187
8.3.5	Dark current-voltage-temperature ($I-V-T$) characteristics	188
8.3.6	Differential resistance as a function of voltage and temperature.....	189
8.3.7	Reverse saturation current and diode ideality factor.....	190
8.3.8	Conduction mechanisms	191
8.3.9	The barrier-height	194
8.3.10	Effect of temperature on various heterojunction parameters.....	195

8.4	Conclusions.....	197
8.5	References.....	198
	Summary.....	201
	Future Work.....	203