



**IN THE NAME OF ALLAH,  
THE COMPASSIONATE,  
THE MERCIFUL.**



PHYSICO - CHEMICAL FACTORS AFFECTING RESISTANCE  
IN COTTON AGAINST WHITEFLY, Bemisia tabaci  
( Gennad. ) IN PUNJAB, PAKISTAN.

BY

MUHAMMAD AFZAL  
M.Sc. (Hons.) Agri.

A thesis submitted in partial fulfilment of  
the requirements for the degree of  
DOCTOR OF PHILOSOPHY

IN

AGRI. ENTOMOLOGY,  
FACULTY OF AGRICULTURE,  
UNIVERSITY OF AGRICULTURE,  
FAISALABAD.


1999

The Controller of Examinations,  
University of Agriculture,  
Faisalabad.

We, the supervisory committee, certify that the contents and form of thesis submitted by MR. MUHAMMAD AFZAL have been found to be satisfactory and recommend that it be processed for evaluation by the External Examiner(s) for the award of degree.

SUPERVISORY COMMITTEE

CHAIRMAN :

  
\_\_\_\_\_  
( DR. MUHAMMAD AKHTAR )


MEMBER :

  
\_\_\_\_\_  
( DR. MUHAMMAD ASHFAQ )

MEMBER :

  
\_\_\_\_\_  
( DR. M. BASHIR ILYAS )

MEMBER :

  
\_\_\_\_\_  
( DR. MUNIR AHMAD BAHTTI )



**DEDICATED**



**T  
O**

**HAZOOOR SYEDI MURSHADI**

**ANTA HABIBI WA TABIB-I-QALBI**

**KHAWAJA  
SUFIA TA MUHAMMAD SAHIB**

**NAQSHBANDI MUJADDI NOORI**

**AALI**

**ASTANA ALYIA DIKOT SHARIF**

## ACKNOWLEDGEMENTS

These research investigations were supervised by DR(S) MUHAMMAD AKHTAR, MUHAMMAD ASHFAQ, MUHAMMAD BASHIR ILYAS as well as by DR. MUNIR AHMAD BAHTTI- the members of my research supervisory panel, and conducted at the Nuclear Institute for Agriculture and Biology ( NIAB ), Jhang Road, Faisalabad, Punjab, Pakistan, through the courtesy of DR. ISMAIL KHAN, CSO, the worthy Director of the institute. I am extremely thankful to them, individually, as well as collectively for their pains' taking guidance and a wholetime involvement in the preparation of this attempt in research.

The help and encouragement received from MR. MUHAMMAD HAMED, Head, Division of Entomology - in this institute as well as from MESSIEURS M.ASLAM KAUSAR, GHULAM RASOOL TAHIR, MRS.SHAHIDA TARIQ and SH. MUHAMMAD MUNIR, my research colleagues at NIAB, had done a lot in the material completion of this manuscript, in time, and, shall be, also ever remembered.

  
( MUHAMMAD AFZAL )

# CONTENTS

  
DIRECTOR,  
ADVANCED STUDIES  
University of Agriculture  
FAISALABAD

No. 17 R

2-3-99

DEDICATIONS

RECOMMENDATIONS

ACKNOWLEDGEMENTS	...	i
LIST OF FIGURES	...	ii
LIST OF TABLES	...	iii - iv
LIST OF APPENDICES	...	v - 1
CHAPTER - I	INTRODUCTION	... 01 - 05
CHAPTER - II	REVIEW OF LITERATURE	... 06 - 12
CHAPTER - III	MATERIALS & METHODS	... 13 - 20
CHAPTER - IV	RESULTS & DISCUSSION	... 21 - 48
CHAPTER - V	SUMMARY	... 49 - 51
	LITERATURE CITED	... 52 - 57
	APPENDICES	... 58 - 241
	ERRATA	
	NOTES	

N.B. \* Each section begins with a coloured page.

LIST OF FIGURES

1. - SHOWING, THE final field-trials ON THE RESISTANCE OF SOME COTTON GENOTYPES AGAINST THE Bemisia tabaci (Gennad.), NYMPHS/ADULTS. ... 15

## LIST OF TABLES

1. - A multiple comparison of the mean-values of DIFFERENT PHYSICAL CHARACTERS OF SOME GENOTYPES OF COTTON, TESTED FOR THEIR RESISTANCE AGAINST THE Bemisia tabaci (Gennad.) - INFESTATION, AT THE NUCLEAR INSTITUTE FOR AGRICULTURE AND BIOLOGY (NIAB), FAISALABAD. ... 23
  
2. - A multiple comparison of the mean-values of DIFFERENT CHEMICAL CHARACTERS OF SOME GENOTYPES OF COTTON, TESTED FOR THEIR RESISTANCE AGAINST THE Bemisia tabaci (Gennad.) - INFESTATION, AT THE NUCLEAR INSTITUTE FOR AGRICULTURE AND BIOLOGY (NIAB), FAISALABAD. ... 25
  
3. - A correlation matrix BETWEEN THE POPULATION OF Bemisia tabaci (Gennad.) / LEAF, AND DIFFERENT PHYSICAL CHARACTERS OF SOME GENOTYPES OF COTTON, TESTED FOR THEIR RESISTANCE AGAINST IT'S ATTACK, AT THE NUCLEAR INSTITUTE FOR AGRICULTURE AND BIOLOGY (NIAB), FAISALABAD. ... 28



4. - A correlation matrix BETWEEN THE POPULATION OF Bemisia tabaci (Gennad.) / LEAF, AND DIFFERENT CHEMICAL CHARACTERS OF SOME GENOTYPES OF COTTON, TESTED FOR THEIR RESISTANCE AGAINST IT'S ATTACK, AT THE NUCLEAR INSTITUTE FOR AGRICULTURE AND BIOLOGY (NIAB), FAISALABAD. ... 29
5. - A BRIEF RESUME of the differences BETWEEN THE PRESENT AND PREVIOUS ACHIEVEMENTS ON THE CONTRIBUTION OF VARIOUS PHYSICO - CHEMICAL CHARACTERS OF SOME COTTON GENOTYPES, TOWARDS THEIR RESISTANCE AGAINST THE CWF. ... 34
6. - The statistical impact of VARIOUS IMPORTANT PHYSICO-CHEMICAL CHARACTERS ( $x_1$  ... etc.) OF SOME COTTON GENOTYPES, ON THE POPULATION OF Bemisia tabaci (Gennad.) / LEAF (y). ... 41
7. - The observed/estimated (O-E) VALUES FOR THE POPULATION OF COTTON WHITEFLY, FROM DIFFERENT GENOTYPES OF COTTON, TESTED FOR THEIR RESISTANCE, AGAINST IT. ... 44

## LIST OF APPENDICES

- A.1 - The overall mean population OF Bemisia tabaci (Gennad.)/leaf, ON SOME GENOTYPES OF COTTON, ON 3rd August, 1992 AND 1993, AT THE NUCLEAR INSTITUTE FOR AGRICULTURE AND BIOLOGY, FAISALABAD. ... 58
- Anova FOR the overall mean population OF Bemisia tabaci (Gennad.), ON SOME GENOTYPES OF COTTON, ON 3rd August, 1992 AND 1993, AT NIAB, FAISALABAD. ... 59
- An individual comparison OF THE COMBINED mean values, IN DIFFERENT TREATMENTS. ... 59
- A.2 - The mean population OF Bemisia tabaci (Gennad.)/leaf, ON SOME GENOTYPES OF COTTON, TESTED FOR THEIR RESISTANT AGAINST IT'S INFESTATION, OBSERVED ON 3.8.1994, AT THE NUCLEAR INSTITUTE FOR AGRICULTURE AND BIOLOGY, FAISALABAD. ... 60
- Anova FOR the mean population OF Bemisia tabaci (Gennad.), ON SOME GENOTYPES OF COTTON, TESTED FOR THEIR RESISTANT AGAINST IT'S INFESTATION. ... 61
- An individual comparison OF THE COMBINED mean values, IN DIFFERENT TREATMENTS. ... 61

- B.1 - The leaf area ( $\text{cm}^2$ ), OF SOME GENOTYPES OF COTTON, TESTED FOR THEIR RESISTANT AGAINST THE INFESTATION OF Bemisia tabaci (Gennad.), AT THE NUCLEAR INSTITUTE FOR AGRICULTURE and BIOLOGY, FAISALABAD. ... 62
- Anova FOR the leaf area ( $\text{cm}^2$ ) OF SOME COTTON GENOTYPES, TESTED FOR THEIR RESISTANT AGAINST THE INFESTATION OF Bemisia tabaci (Gennad.). ... 63
- An individual comparison OF THE COMBINED mean values, IN DIFFERENT TREATMENTS. ... 63
- B.2 - The thickness of leaf lamina ( $\mu$ ) OF SOME GENOTYPES OF COTTON, TESTED FOR THEIR RESISTANT AGAINST THE INFESTATION OF Bemisia tabaci (Gennad.), AT THE NUCLEAR INSTITUTE FOR AGRICULTURE AND BIOLOGY, FAISALABAD. ... 64
- Anova FOR the thickness of the leaf lamina ( $\mu$ ) OF SOME GENOTYPES OF COTTON, TESTED FOR THEIR RESISTANT AGAINST THE INFESTATION OF Bemisia tabaci (Gennad.). ... 65
- An individual comparison OF THE COMBINED mean values, IN DIFFERENT TREATMENTS. ... 65

- B.3 - The number of gossypol glands on the leaf lamina of SOME GENOTYPES OF COTTON, TESTED FOR THEIR RESISTANCE AGAINST THE INFESTATION OF Bemisia tabaci (Gennad.), AT THE NUCLEAR INSTITUTE FOR AGRICULTURE AND BIOLOGY, FAISALABAD. ... 66
- Anova FOR the number of gossypol glands on the leaf lamina OF SOME GENOTYPES OF COTTON, TESTED FOR THEIR RESISTANCE AGAINST THE INFESTATION OF Bemisia tabaci (Gennad.) ... 67
- An individual comparison OF THE COMBINED mean values, IN DIFFERENT TREATMENTS. ... 67
- B.4 - The number of gossypol glands on the leaf midrib OF SOME GENOTYPES OF COTTON, TESTED FOR THEIR RESISTANCE AGAINST THE INFESTATION OF Bemisia tabaci (Gennad.), AT THE NUCLEAR INSTITUTE FOR AGRICULTURE AND BIOLOGY, FAISALABAD. ... 68
- Anova FOR the number of gossypol glands on the leaf midrib OF SOME GENOTYPES OF COTTON, TESTED FOR THEIR RESISTANCE AGAINST THE INFESTATION OF Bemisia tabaci (Gennad.) ... 69
- An individual comparison OF THE COMBINED mean values, IN DIFFERENT TREATMENTS. ... 69

- B.5 - The number of gossypol glands on the leaf veins OF SOME GENOTYPES OF COTTON, TESTED FOR THEIR RESISTANCE AGAINST THE INFESTATION OF Bemisia tabaci (Gennad.), AT THE NUCLEAR INSTITUTE FOR AGRICULTURE AND BIOLOGY, FAISALABAD. ... 70
- Anova FOR the number of gossypol glands on the leaf veins OF SOME GENOTYPES OF COTTON, TESTED FOR THEIR RESISTANCE AGAINST THE INFESTATION OF Bemisia tabaci (Gennad.). ... 71
- An individual comparison OF THE COMBINED mean values, IN DIFFERENT TREATMENTS. ... 71
- B.6 - The density of hair/cm<sup>2</sup> on the leaf lamina OF SOME GENOTYPES OF COTTON, TESTED FOR THEIR RESISTANCE AGAINST THE INFESTATION OF Bemisia tabaci (Gennad.), AT THE NUCLEAR INSTITUTE FOR AGRICULTURE AND BIOLOGY, FAISALABAD. ... 72
- Anova FOR the density of hair/cm<sup>2</sup> on the leaf lamina OF SOME GENOTYPES OF COTTON, TESTED FOR THEIR RESISTANCE AGAINST THE INFESTATION OF Bemisia tabaci (Gennad.). ... 73
- An individual comparison OF THE COMBINED mean values, IN DIFFERENT TREATMENTS. ... 73

- B.7 - The density of hair/cm on the leaf midrib OF SOME GENOTYPES OF COTTON, TESTED FOR THEIR RESISTANCE AGAINST THE INFESTATION OF Bemisia tabaci (Gennad.), AT THE NUCLEAR INSTITUTE FOR AGRICULTURE AND BIOLOGY, FAISALABAD. ... 74
- Anova FOR the density of hair/cm on the leaf midrib OF SOME VARIETIES/ STRAINS OF COTTON, TESTED FOR THEIR RESISTANCE AGAINST THE INFESTATION OF Bemisia tabaci (Gennad.) ... 75
- An individual comparison OF THE COMBINED mean values, IN DIFFERENT TREATMENTS. ... 75
- B.8 - The density of hair/cm on the leaf veins OF SOME GENOTYPES OF COTTON, TESTED FOR THEIR RESISTANCE AGAINST THE INFESTATION OF Bemisia tabaci (Gennad.), AT THE NUCLEAR INSTITUTE FOR AGRICULTURE AND BIOLOGY, FAISALABAD. ... 76
- Anova FOR the density of hair/cm on the leaf veins OF SOME GENOTYPES OF COTTON, TESTED FOR THEIR RESISTANCE AGAINST THE INFESTATION OF Bemisia tabaci (Gennad.). ... 77
- An individual comparison OF THE COMBINED mean values, IN DIFFERENT TREATMENTS. ... 77

- B.9 - The length of hair ( $\mu$ ) on the leaf laminae OF SOME GENOTYPES OF COTTON, TESTED FOR THEIR RESISTANCE AGAINST THE INFESTATION OF Bemisia tabaci (Gennad.), AT THE NUCLEAR INSTITUTE FOR AGRICULTURE AND BIOLOGY, FAISALABAD. ... 78
- Anova FOR the length of hair ( $\mu$ ) on the leaf laminae OF SOME GENOTYPES OF COTTON, TESTED FOR THEIR RESISTANCE AGAINST THE INFESTATION OF Bemisia tabaci (Gennad.). ... 79
- An individual comparison OF THE COMBINED mean values, IN DIFFERENT TREATMENTS. ... 79
- B.10 - The length of hair ( $\mu$ ) on the leaf midribs OF SOME GENOTYPES OF COTTON, TESTED FOR THEIR RESISTANCE AGAINST THE INFESTATION OF Bemisia tabaci (Gennad.), AT THE NUCLEAR INSTITUTE FOR AGRICULTURE AND BIOLOGY, FAISALABAD. ... 80
- Anova FOR the length of hair ( $\mu$ ) on the leaf midribs OF SOME GENOTYPES OF COTTON, TESTED FOR THEIR RESISTANCE AGAINST THE INFESTATION OF Bemisia tabaci (Cennad.). ... 81
- An individual comparison OF THE COMBINED mean values, IN DIFFERENT TREATMENTS. ... 81

- B.11 - The length of hair ( $\mu$ ) on the leaf veins OF SOME GENOTYPES OF COTTON, TESTED FOR THEIR RESISTANCE AGAINST THE INFESTATION OF Bemisia tabaci (Gennad.), AT THE NUCLEAR INSTITUTE FOR AGRICULTURE AND BIOLOGY, FAISALABAD. ... 82
- Anova FOR the length of hair ( $\mu$ ) on the leaf veins OF SOME GENOTYPES OF COTTON, TESTED FOR THEIR RESISTANCE AGAINST THE INFESTATION OF Bemisia tabaci (Gennad.). ... 83
- An individual comparison OF THE COMBINED mean values, IN DIFFERENT TREATMENTS. ... 83
- C.1 - The moisture contents (%) of the leaves OF SOME GENOTYPES OF COTTON, TESTED FOR THEIR RESISTANCE AGAINST THE INFESTATION OF Bemisia tabaci (Gennad.), AT THE NUCLEAR INSTITUTE FOR AGRICULTURE AND BIOLOGY, FAISALABAD. ... 84
- Anova FOR the moisture contents (%) of the leaves OF SOME GENOTYPES OF COTTON, TESTED FOR THEIR RESISTANCE AGAINST THE INFESTATION OF Bemisia tabaci (Gennad.). ... 85
- An individual comparison OF THE COMBINED mean values, IN DIFFERENT TREATMENTS. ... 85



- C.2 - The soluble sugars (%) of the leaves OF SOME GENOTYPES OF COTTON, TESTED FOR THEIR RESISTANCE AGAINST THE INFESTATION OF Bemisia tabaci (Gennad.), AT THE NUCLEAR INSTITUTE FOR AGRICULTURE AND BIOLOGY, FAISALABAD. ... 86
- Anova FOR the soluble sugars (%) of the leaves OF SOME GENOTYPES OF COTTON, TESTED FOR THEIR RESISTANCE AGAINST THE INFESTATION OF Bemisia tabaci (Gennad.). ... 87
- An individual comparison OF THE COMBINED mean values, IN DIFFERENT TREATMENTS. ... 87
- C.3 - The total lipids (%) of the leaves OF SOME GENOTYPES OF COTTON, TESTED FOR THEIR RESISTANCE AGAINST THE INFESTATION OF Bemisia tabaci (Gennad.), AT THE NUCLEAR INSTITUTE FOR AGRICULTURE AND BIOLOGY, FAISALABAD. ... 88
- Anova FOR the total lipids (%) of the leaves OF SOME GENOTYPES OF COTTON, TESTED FOR THEIR RESISTANCE AGAINST THE INFESTATION OF Bemisia tabaci (Gennad.). ... 89
- An individual comparison OF THE COMBINED mean values, IN DIFFERENT TREATMENTS. ... 89

- C.4 - The gossypol contents (mg/g) of the leaves OF SOME GENOTYPES OF COTTON, TESTED FOR THEIR RESISTANCE AGAINST THE INFESTATION OF Bemisia tabaci (Gennad.), AT THE NUCLEAR INSTITUTE FOR AGRICULTURE AND BIOLOGY, FAISALABAD. ... 90
- Anova FOR the gossypol contents (mg/g) of the leaves OF SOME GENOTYPES OF COTTON, TESTED FOR THEIR RESISTANCE AGAINST THE INFESTATION OF Bemisia tabaci (Gennad.). ... 91
- An individual comparison OF THE COMBINED mean values, IN DIFFERENT TREATMENTS. ... 91
- C.5 - The phenols (mg/g) of the leaves OF SOME GENOTYPES OF COTTON, TESTED FOR THEIR RESISTANCE AGAINST THE INFESTATION OF Bemisia tabaci (Gennad.), AT THE NUCLEAR INSTITUTE FOR AGRICULTURE AND BIOLOGY, FAISALABAD. ... 92
- Anova FOR the phenols (mg/g) of the leaves OF SOME GENOTYPES OF COTTON, TESTED FOR THEIR RESISTANCE AGAINST THE INFESTATION OF Bemisia tabaci (Gennad.). ... 93
- An individual comparison OF THE COMBINED mean values, IN DIFFERENT TREATMENTS. ... 93