

## TABLE OF CONTENTS

Chapter No.	CONTENTS	Page No.
	Acknowledgements	v
	Table of contents	vii
	List of tables	xii
	List of figures	xv
	List of Abbreviations	xxi
	List of annexure	xxii
	Abstract	xxiii
1	INTRODUCTION	1
2	REVIEW OF LITERATURE	7
2.1	Prospects of <i>Rosa hybrida</i> in Punjab (Pakistan)	7
2.2	Growing systems, varietal comparison and growing conditions of <i>Rosa hybrida</i>	8
2.3	Growing media on <i>Rosa hybrida</i>	15
2.4	NaCl salinity on <i>Rosa hybrida</i>	16
2.5	Micronutrients on <i>Rosa hybrida</i>	22
2.6	Preservatives on <i>Rosa hybrida</i>	25
2.7	Storage mode, temperature and packing materials on <i>Rosa hybrida</i>	32
3	MATERIALS & METHODS	36
3.1	Survey of cut rose flower growers	36
3.1.1	Personal profile	36
3.1.2	Management practices	36
3.1.3	Problems faced by growers	37
3.1.4	Postharvest handling & marketing	37
3.1.5	Pre-testing of interview questionnaire	37
3.1.6	Statistical analysis	37
3.2	Performance of <i>Rosa hybrida</i> in greenhouse vs. open field	37
3.2.1	Plant height (cm)	38
3.2.2	Number of leaves branch <sup>-1</sup>	38
3.2.3	Leaf area (cm <sup>2</sup> )	38
3.2.4	Leaf total chlorophyll contents (mg g <sup>-1</sup> )	38
3.2.5	Days to flower emergence	38
3.2.6	Number of flowers plant <sup>-1</sup>	38
3.2.7	Bud diameter (cm)	38
3.2.8	Flower diameter (cm)	41
3.2.9	Fresh weight of a flower (g)	41
3.2.10	Dry weight of a flower (g)	41
3.2.11	Fresh & dry weight ratio	41

3.2.12	Flower quality	41
3.2.13	Flower stalk length (cm)	41
3.2.14	Flower stalk diameter (cm)	41
3.2.15	Statistical analysis	41
3.3	Standardization of growing media for <i>Rosa hybrida</i>	42
3.4	Response of <i>Rosa hybrida</i> to NaCl salinity	43
3.5	Response of <i>Rosa hybrida</i> to foliar application of various micronutrients	44
3.5.1	Leaf Boron analysis	45
3.5.2	Leaf Zn analysis	45
3.5.3	Leaf Fe analysis	45
3.5.4	Statistical analysis	46
3.6	Evaluation of preservatives on <i>Rosa hybrida</i>	46
3.6.1	Plant material	46
3.6.2	Treatments	46
3.6.3	Evaluation	47
3.6.3.1	Fresh weight of a stalk (g)	47
3.6.3.2	Flower diameter (cm)	47
3.6.3.3	Vase solution uptake (ml 48h <sup>-1</sup> )	47
3.6.3.4	Number of reflexed petals	47
3.6.3.5	Flower quality	47
3.6.3.6	Petal area (cm <sup>2</sup> )	48
3.6.3.7	Petal water contents (%)	48
3.6.3.8	Vase life (Days)	48
3.6.4	Statistical analysis	48
3.7	Optimization of storage mode & temperature for <i>Rosa hybrida</i>	48
3.7.1	Plant material	48
3.7.2	Treatments	49
3.7.3	Evaluation	49
3.7.3.1	Ion leakage (%)	49
3.7.3.2	Relative fresh weight of a petal (%)	50
3.7.3.3	Relative fresh weight of a flower (%)	50
3.7.3.4	Vase life (Days)	50
3.7.3.5	Total life (Days)	50
3.7.4	Statistical analysis	50
3.8	Comparison of various packing materials to enhance longevity of <i>Rosa hybrida</i>	50
3.8.1	Plant material	50
3.8.2	Treatments	51
3.8.3	Evaluation	51
3.8.4	Statistical analysis	51

4	RESULTS	52
4.1	Rose production practices, limitations and prospects in Punjab	52
4.1.1	Data stratification	52
4.1.2	Establishment of rose business	53
4.1.3	Area under rose cultivation at different farms	54
4.1.4	Dependence on rose	55
4.1.5	Number of cultivars grown	55
4.1.6	Criteria for selection of cultivars	55
4.1.7	Flowering duration	56
4.1.8	Best flower quality period of the year	57
4.1.9	Mode of rose cultivation	57
4.1.10	Sources of modern information	58
4.1.11	Cultivation problems faced by growers	59
4.1.12	Helping sources for solution of growers' problems	59
4.1.13	Need for training	60
4.1.14	Production of cut rose flowers for special occasions	61
4.1.15	Pruning time	62
4.1.16	Harvest stage	62
4.1.17	Postharvest problems faced by growers	63
4.1.18	Marketing of cut roses	64
4.1.19	Postharvest handling of cut roses	65
4.2	Comparison of various rose cultivars grown in greenhouse vs. open field	68
4.2.1	Plant height (cm)	68
4.2.2	Number of leaves branch <sup>-1</sup>	68
4.2.3	Leaf area (cm <sup>2</sup> )	71
4.2.4	Leaf total chlorophyll contents (mg g <sup>-1</sup> )	71
4.2.5	Days to flower emergence	71
4.2.6	Number of flowers plant <sup>-1</sup>	74
4.2.7	Bud diameter (cm)	74
4.2.8	Flower diameter (cm)	77
4.2.9	Fresh weight of a flower (g)	77
4.2.10	Dry weight of a flower (g)	80
4.2.11	Fresh & dry weight ratio	80
4.2.12	Flower quality	80
4.2.13	Flower stalk length (cm)	84
4.2.14	Flower stalk diameter (cm)	84
4.3	Standardization of growing media for <i>Rosa hybrida</i>	87
4.3.1	Plant height (cm)	87
4.3.2	Number of leaves branch <sup>-1</sup>	87
4.3.3	Leaf area (cm <sup>2</sup> )	90
4.3.4	Leaf total chlorophyll contents (mg g <sup>-1</sup> )	90

4.3.5	Days to flower emergence	93
4.3.6	Number of flowers plant <sup>-1</sup>	93
4.3.7	Bud diameter (cm)	96
4.3.8	Flower diameter (cm)	96
4.3.9	Fresh weight of a flower (g)	96
4.3.10	Dry weight of a flower (g)	99
4.3.11	Fresh & dry weight ratio	99
4.3.12	Flower quality	102
4.3.13	Flower stalk length (cm)	102
4.3.14	Flower stalk diameter (cm)	104
4.3.15	Leaf K, Ca & Mg contents (mg L <sup>-1</sup> )	104
4.4	NaCl salinity on <i>Rosa hybrida</i>	109
4.4.1	Plant height (cm)	109
4.4.2	Number of leaves branch <sup>-1</sup>	109
4.4.3	Leaf area (cm <sup>2</sup> )	109
4.4.4	Leaf total chlorophyll contents (mg g <sup>-1</sup> )	112
4.4.5	Days to flower emergence	112
4.4.6	Number of flowers plant <sup>-1</sup>	115
4.4.7	Bud diameter (cm)	115
4.4.8	Flower diameter (cm)	115
4.4.9	Fresh weight of a flower (g)	120
4.4.10	Dry weight of a flower (g)	120
4.4.11	Fresh & dry weight ratio	123
4.4.12	Flower quality	123
4.4.13	Flower stalk length (cm)	123
4.4.14	Flower stalk diameter (cm)	125
4.5	Foliar application of micronutrients on <i>Rosa hybrida</i>	128
4.5.1	Plant height (cm)	128
4.5.2	Number of leaves branch <sup>-1</sup>	128
4.5.3	Leaf area (cm <sup>2</sup> )	128
4.5.4	Leaf total chlorophyll contents (mg g <sup>-1</sup> )	131
4.5.5	Days to flower emergence	131
4.5.6	Number of flowers plant <sup>-1</sup>	134
4.5.7	Bud diameter (cm)	134
4.5.8	Flower diameter (cm)	139
4.5.9	Fresh weight of a flower (g)	139
4.5.10	Dry weight of a flower (g)	139
4.5.11	Fresh & dry weight ratio	142
4.5.12	Flower quality	142
4.5.13	Flower stalk length (cm)	142
4.5.14	Flower stalk diameter (cm)	145
4.5.15	Leaf boron contents (mg L <sup>-1</sup> )	145

4.5.16	Leaf Zn contents (mg L <sup>-1</sup> )	147
4.5.17	Leaf Fe contents (mg L <sup>-1</sup> )	147
4.6	Comparative evaluation of various preservatives on <i>Rosa hybrida</i>	151
4.6.1	Fresh weight of a flower stalk (g)	151
4.6.2	Flower diameter (cm)	151
4.6.3	Vase solution uptake (ml 48h <sup>-1</sup> )	154
4.6.4	Number of reflexed petals	154
4.6.5	Flower quality	155
4.6.6	Petal area (cm <sup>2</sup> )	155
4.6.7	Petal water contents (%)	159
4.6.8	Vase life (Days)	159
4.7	Comparison of various storage modes and temperatures on <i>Rosa hybrida</i>	162
4.7.1	Fresh weight of a flower stalk (g)	162
4.7.2	Flower diameter (cm)	162
4.7.3	Vase solution uptake (ml 48h <sup>-1</sup> )	165
4.7.4	Number of reflexed petals	165
4.7.5	Flower quality	165
4.7.6	Petal area (cm <sup>2</sup> )	169
4.7.7	Ion leakage (%)	169
4.7.8	Vase life (Days)	172
4.7.9	Total life (Days)	172
4.7.10	Relative fresh weight of a petal (%)	172
4.7.11	Relative fresh weight of a flower (%)	175
4.8	Comparison of various packing materials on <i>Rosa hybrida</i>	178
4.8.1	Fresh weight of a flower stalk (g)	178
4.8.2	Flower diameter (cm)	178
4.8.3	Vase solution uptake (ml 48h <sup>-1</sup> )	181
4.8.4	Number of reflexed petals	181
4.8.5	Flower quality	184
4.8.6	Petal area (cm <sup>2</sup> )	184
4.8.7	Ion leakage (%)	187
4.8.8	Vase life (Days)	187
4.8.9	Total life (Days)	190
5	DISCUSSION	192
6	SUMMARY	203
6.1	Future recommendations	209
	Literature cited	210