

TABLE OF CONTENTS

DESCRIPTION	Page No.
LIST OF TABLES	V
LIST OF APPENDICES	VI
ACKNOWLEDGEMENTS	VIII
ABSTRACT	IX
1. INTRODUCTION	1
1.1 Importance of Brassica	1
1.2 Importance of Aphids in Brassica	3
1.3 Relative Resistance in Brassica	5
1.4 Losses due to Aphids in Brassica Genotypes	7
1.5 Aphids Population and Morphological and Biochemical Quality Characteristics of Brassica	8
1.6 Objectives of the Study	10
2. REVIEW OF LITURATURE	11
3. MATERIALS AND METHODS	25
3.1 Experiment-I: Field Experiment	26
3.1.1 Relative Abundance of Aphids Population on Brassica Genotypes	26
3.2. Experiment-II: Screen house Experiment	26
3.2.1 Losses due to Cabbage Aphid, <i>Bravecoryne brassicae</i> L. in 12 Brassica Genotypes	26
3.2.2 Aphid's Density and yield Components in 12 Brassica Genotypes	27
3.2.3 Chemical Quality Analysis of Brassica Seeds	28
3.4 Statistical Analysis	28
4. RESULTS	29
4.1 RELATIVE ABUNDANCE OF APHIDS POPULATION ON GENETICALLY DIVERSIFIED BRASSICA GENOTYPES	29
4.1.1 Aphid's density on 12 Brassica genotypes during 2006-07.	29
4.1.2 Aphid's density 12 Brassica genotypes during 2007-08.	31
4.1.3 Mean aphids density on 12 Brassica Genotypes during 2006-07 and 2007-08	34

4.1.4	APHIDS DENSITY AND YIELD COMPONENTS OF 12 BRASSICA GENOTYPES UNDER FIELD CONDITIONS	36
4.1.4.1	Plant Height	36
4.1.4.2	Primary branches	36
4.1.4.3	Siliquae main raceme ⁻¹	37
4.1.4.4	Siliqua Length (cm)	37
4.1.4.5	Seed per Siliqua	38
4.1.4.6	1000 Seed Weight (grams)	39
4.1.4.7	Seed Yield Grams Plant ⁻¹	39
4.1.4.8	Seed Yield kg ha ⁻¹	39
4.1.4.9	Biological Yield (kg ha ⁻¹)	40
4.1.5	APHIDS DENSITY AND BIOCHEMICAL CONTENTS OF DIFFERENT BRASSICA GENOTYPES UNDER FIELD CONDITIONS	42
4.1.5.1.	Aphids Density	42
4.1.5.2.	Biochemical Contents	42
4.1.5.2.1	Oil Contents (%)	42
4.1.5.2.2	Protein (%)	42
4.1.5.2.3	Glucosinolates (μ mg ⁻¹) Content	43
4.1.5.2.4	Moisture (%)	43
4.1.5.2.5	Oleic Acid (%)	43
4.1.5.2.6	Linolenic Acid (%)	44
4.1.5.2.7	Erucic Acid (%)	44
4.2.	LOSSES DUE TO CABBAGE APHID, <i>BRUCECORYNE BRASSICAE</i> L. IN BRASSICA GENOTYPES UNDER SCREEN HOUSE CONDITIONS	46
4.2.1	Aphids Density and Yield Losses (%) in Seed Yield in 12 Brassica Genotypes infested with 5-Aphids per Plant at Bud Initiation Stage	46
4.2.2	Aphids Density and Yield Losses (%) in Seed Yield in 12 Brassica Genotypes infested with 10-Aphids per Plant at Bud Initiation Stage	47
4.2.3	Aphids Density and Yield Losses (%) in Seed Yield in 12 Brassica Genotypes infested with 15-Aphids per Plant at Bud Initiation Stage	48
4.3	APHIDS DENSITY, YIELD AND YIELD COMPONENTS IN 12 BRASSICA GENOTYPES UNDER SCREEN HOUSE CONDITIONS	49
4.3.1	Aphid Density	49
4.3.2	Seed Yield	49

3.3.3	Straw Yield	50
4.3.4	Plant Height (cm)	51
4.3.5	Branches	51
4.3.6	Siliquae main raceme ⁻¹	52
4.3.7	Leaves Plant ¹	53
4.4.	APHID'S DENSITY AND BIOCHEMICAL CHARACTERISTICS IN 12 BRASSICA GENOTYPES UNDER SCREEN HOUSE CONDITIONS	59
4.4.1	Oil Contents (%)	59
4.4.2	Protein contents (%)	60
4.4.3	Glucosinolates (μ mg ⁻¹) Contents	61
4.4.4.	Moisture Contents (%)	62
4.4.5	Oleic Acid %	63
4.3.6	Linolenic Acid (%)	64
4.3.7	Erucic Acid (%)	65
5.	DISCUSSION	72
5.1 .1	Relative Abundance of Aphids Population on Different Brassica Genotypes	72
5.1.2	Aphids Density and Brassica Relative Resistance in 12 Brassica Genotypes	73
5.1.3.	Aphids Density and Yield Components of 12 Brassica Genotypes Under Field Conditions	75
5.1.3.1	Plant Height (cm)	75
5.1.3.2	Primary Branches	76
5.1.3.3	Siliquae main rameme ⁻¹	76
5.1.3.4	Siliqua Length	76
5.1.3.5	Seed Siliqua ⁻¹	77
5.1.3.6	1000 Seed Weight (grams)	77
5.1.3.7	Seed Yield Grams Plant ¹	78
5.1.3.8	Seed Yield Kg ha ⁻¹	78
5.1.3.9	Biological Yield Kg ha ⁻¹	79
5.1.4	Aphids Density and Biochemical Contents of 12 Brassica Genotypes Under Field Conditions	79
5.1.4.1	Oil Contents (%)	79

5.1.4.2 Protein (%)	79
5.1.4.3 Glucosinolates (μ mg ⁻¹) Content	80
5.1.4.4 Moisture (%)	80
5.1.4.5 Oleic Acid (%)	80
5.1.4.6 Linolenic Acid (%)	81
5.1.4.7 Erucic Acid (%)	81
5.2 Losses due to Cabbage Aphid, <i>Bravecoryne Brassicae</i> L. in Brassica Genotypes Under Screen House Conditions	81
5.3 Aphid's Density, Yield and Yield Components in 12 Brassica Genotypes Under Screen House Conditions	82
5.3.1 Seed Yield Losses	83
5.3.2 Straw Yield Losses	84
5.3.3 Plant Height Losses	84
5.3.4 Branches Losses	85
5.3.5 Siliquae main raceme ⁻¹ Losses	85
5.3.6 Leaves Losses	86
5.4 Aphid's Density and Biochemical Characteristics of 12 Brassica Genotypes Under Screen House Conditions	87
5.4.1 Oil Contents	87
5.4.2 Protein Contents	88
5.4.3 Glucosinolates (μ mg ⁻¹) Content	89
5.4.4 Moisture (%)	90
5.4.5 Oleic Acid (%)	91
5.4.6 Linolenic Acid (%)	91
5.4.7 Erucic Acid (%)	92
6. SUMMARY	93
CONCLUSION AND RECOMMENDATIONS	97
7. LITERATURE CITED	98
8. APPENDICES	109