

TABLE OF CONTENTS

Contents	Page #
Acknowledgments	i
List of Figures	iii
List of Tables	vii
Abstract	ix
Introduction and Review of Literature	01
Materials and Methods	33
Results and Discussion	54
General Discussion and Conclusions	120
References	135
Chapter 1 Introduction and Review of Literature	1
1.1 Veterinary antibiotics	2
1.2 Tylosin	4
1.2.1 Chemical structure of tylosin	4
1.2.2 General features of tylosin	6
1.2.3 Mechanism of tylosin action	6
1.2.4 Uses of tylosin	6
1.3 <i>Streptomyces</i> (the largest antibiotic producing genus)	8
1.3.1 <i>Streptomyces fradiae</i>	9
1.3.2 Biosynthesis of tylosin	9
1.3.3 Regulatory genes in the <i>tyl</i> cluster	11
1.4 Strain improvement	13
1.4.1 Mutagenesis	14

1.4.2	Random mutagenesis	15
1.4.3	Mutations induced by ionizing radiations	17
1.4.4	Mutations leading to over expression of tylosin in <i>Streptomyces fradiae</i> NRRL-2702	19
1.5	Fermentation	21
1.5.1	Submerged or liquid fermentation	22
1.5.1.1	Effect of carbon and nitrogen sources on the production of antibiotics in complex medium	22
1.5.1.2	Effect of carbon and nitrogen sources on the production of antibiotics in chemically defined media	23
1.5.2	Solid State Fermentation (SSF)	26
1.5.2.1	Advantages of solid state fermentation	27
1.5.2.2	Effect of medium composition on the production of antibiotics in solid state fermentation	29
1.5.2.3	Effect of environmental conditions on the production of antibiotics in SSF	30
1.6	Scope and objectives of current study	31
Chapter 2 Materials and Methods		33
2.1	Microorganism and media	33
2.2	Reviving medium	33
2.2.1	Liquid medium (Seed medium)	33
2.2.2	Solid medium	34
2.3	Preparation of inocula	34
2.3.1	Vegetative medium	34
2.4	Production of tylosin in complex medium	35
2.5	Irradiation mutagenesis	36
2.5.1	Ultraviolet irradiation of <i>Streptomyces fradiae</i> NRRL-2702	36
2.5.2	Screening and selection of hyper producing mutants	36
2.5.2.1	<i>Bacillus subtilis</i> bioassay	37
2.5.2.2	High performance liquid chromatography (HPLC)	38
2.6	Batch culture studies for tylosin production by wild-type and tylosin over expressing mutant UV-2 in chemically defined media	39

2.6.1	Effect of various carbon sources on tylosin production by mutant UV-2	39
2.6.2	Effect of various nitrogen sources on tylosin production by mutant UV-2	40
2.6.3	Measurement of cell mass, tylosin and sugars	40
2.6.4	Study of kinetic parameters	40
2.7	Gamma-irradiation mutagenesis of <i>Streptomyces fradiae</i> NRRL-2702 and its tylosin over expressing mutant UV-2	41
2.7.1	Screening and selection of hyper producing mutants	41
2.8	Batch culture studies for tylosin production by wild type and mutant gamma-1 in chemically defined media	42
2.8.1	Effect of various carbon sources on tylosin production by mutant γ -1	42
2.8.2	Effect of various nitrogen sources on tylosin production by mutant γ -1	42
2.8.3	Measurement of cell mass, tylosin and sugars	42
2.8.4	Study of kinetic parameters of mutant γ -1	43
2.9	Development of solid state fermentation system for the production of tylosin by wild type and mutant gamma-1 strains of <i>Streptomyces fradiae</i> NRRL-2702	43
2.9.1	Preparation of inocula for solid state fermentation	43
2.9.2	Solid state fermentation medium	43
2.9.3	Tylosin extraction	44
2.9.4	Tylosin assay	44
2.9.5	High performance liquid chromatography (HPLC) analysis	44
2.9.6	Process optimization for tylosin production by mutant γ -1 in solid state fermentation	44
2.9.6.1	<i>Effect of substrate on tylosin production by mutant γ-1 in solid state fermentation</i>	45
2.9.6.2	<i>Effect of initial moisture content on tylosin production by mutant γ-1 in solid state fermentation</i>	45
2.9.6.3	Effect of inoculum size, pH and temperature on tylosin production by mutant γ -1 in solid state fermentation	46
2.9.6.4	Effect of additional carbon sources on tylosin production by mutant γ -1 in solid state fermentation	46
2.9.6.7	Effect of nitrogen sources on tylosin production by mutant γ -	46

	1 in solid state fermentation	
2.10	Identification of mutations leading to over expression of tylosin	47
2.10.2	One step RT-PCR	48
2.10.3	Preparation of agarose gel (1%) for DNA electrophoresis	49
2.10.4	Isolation of genomic DNA	50
2.10.4.1	Salt extraction method for the genomic DNA isolation	51
2.10.4.1.1	Chemicals for salt extraction method	51
2.10.4.1.2	Procedure for salt extraction method	51
2.10.4.2	PCR amplification of <i>tylS</i> , <i>tylR</i> and <i>tylT</i> genes	52
2.10.4.3	Sequencing of amplified RT-PCR and PCR products	53
2.10.4.4	Blast analysis of the sequenced genes	53
2.10.4.5	Construction of Phylogenetics tree for regulatory proteins encoded by <i>tylQ</i> , <i>tylP</i> , <i>tylS</i> , <i>tylR</i> and <i>tylT</i> genes	53
Chapter 3	Results and Discussion	54
3.1	Microorganisms and their growth	54
3.1.1	Production of tylosin by wild type <i>Streptomyces fradiae</i> NRRL-2702 in complex production medium	55
3.2	UV irradiation mutagenesis of <i>Streptomyces fradiae</i> NRRL-2702	55
3.2.1	Morphological mutants obtained after UV irradiation mutagenesis of wild type <i>Streptomyces fradiae</i> NRRL-2702	57
3.2.2	Screening and selection of UV mutants of <i>Streptomyces fradiae</i> NRRL-2702 with over expression of tylosin in complex production medium	57
3.2.3	High performance liquid chromatography analysis (HPLC) of tylosin production by wild type strain and UV mutants of <i>Streptomyces fradiae</i> NRRL-2702	61
3.2.4	Batch culture kinetics of tylosin production by wild type and mutant UV-2 of <i>Streptomyces fradiae</i> NRRL-2702 in chemically defined media	64
3.2.4.1	Effect of different carbon sources on tylosin production by wild type and mutant UV-2 of <i>Streptomyces fradiae</i> NRRL-2702 in chemically defined media	64

3.2.4.2	Effect of different nitrogen sources on tylosin production by wild type and mutant UV-2 of <i>Streptomyces fradiae</i> NRRL-2702 in chemically defined media	69
3.3	Gamma irradiation mutagenesis of wild type <i>Streptomyces fradiae</i> NRRL-2702 and tylosin over expressing mutant UV-2	72
3.3.1	Screening and selection of gamma irradiated mutants of <i>Streptomyces fradiae</i> NRRL-2702 with over expression of tylosin in complex production medium	73
3.3.2	Batch culture kinetics of growth and tylosin production by wild type and mutant γ -1 of <i>Streptomyces fradiae</i> NRRL-2702 in chemically defined media	75
3.3.2.1	Effect of different carbon sources on tylosin production by wild type and mutant γ -1 of <i>Streptomyces fradiae</i> NRRL-2702 in chemically defined media	75
3.3.2.2	Effect of different nitrogen sources on tylosin production by wild type and mutant γ -1 of <i>Streptomyces fradiae</i> NRRL-2702 in chemically defined media	81
3.3.2.3.	Comparison of stability of wild type, tylosin over expressing mutants UV-2 and γ -1 of <i>Streptomyces fradiae</i> NRRL-2702 for the production of tylosin	84
3.4	Development of solid state fermentation for the production of tylosin by <i>Streptomyces fradiae</i> NRRL-2702 and its gamma irradiated mutant gamma-1	86
3.4.1	Effect of substrate on the production of tylosin by wild type and mutant γ -1 of <i>Streptomyces fradiae</i> NRRL-2702 in solid state fermentation	86
3.4.2	Effect of moisture level on the production of tylosin by wild type and mutant γ -1 of <i>Streptomyces fradiae</i> NRRL-2702 in solid state fermentation	87
3.4.3	Effect of inoculum size on the production of tylosin by wild type and mutant γ -1 of <i>Streptomyces fradiae</i> NRRL-2702 in solid state fermentation	89
3.4.4	Effect of pH on the production of tylosin by wild type and mutant γ -1 of <i>Streptomyces fradiae</i> NRRL-2702 in solid state fermentation	90
3.4.5	Effect of temprature on the production of tylosin by wild type and mutant γ -1 of <i>Streptomyces fradiae</i> NRRL-2702 in solid state fermentation	92
3.4.5	Effect of incubation period on the production of tylosin by wild type and mutant γ -1 of <i>Streptomyces fradiae</i> NRRL-	93

	2702 in solidstate fermentation	
3.4.6	Effect of additional carbon sources on the production of tylosin by wild type and mutant γ -1 of <i>Streptomyces fradiae</i> NRRL-2702 in solid state fermentation	94
3.4.7	Effect of nitrogen sources on the production of tylosin by wild type and mutant γ -1 of <i>Streptomyces fradiae</i> NRRL-2702 in solid state fermentation	96
3.5	Molecular analysis of mutations leading to over expression of tylosin in mutant γ -1 of <i>Streptomyces fradiae</i> NRRL-2702	98
3.5.1	Expression analysis of <i>tylQ</i> gene from wild type and tylosin over expressing mutant γ -1 of <i>Streptomyces fradiae</i> NRRL-2702 by RT-PCR	99
3.5.2	Expression analysis of <i>tylP</i> gene from wild type and tylosin over expressing mutant γ -1 of <i>Streptomyces fradiae</i> NRRL-2702 by RT-PCR	104
3.5.3	Sequence analyses of <i>tylS</i> , <i>tylR</i> and <i>tylT</i> from wild type and tylosin over expressing mutant γ -1 of <i>Streptomyces fradiae</i> NRRL-2702 by PCR	109
3.5.3.1	Sequence analysis of <i>tylS</i> from wild type and tylosin over expressing mutant γ -1 of <i>Streptomyces fradiae</i> NRRL-2702	110
3.5.3.2	Sequences analysis of <i>tylR</i> gene from wild type and tylosin over expressing mutant γ -1 of <i>Streptomyces fradiae</i> NRRL-2702	112
3.5.3.3	Sequence analysis of <i>tylT</i> gene from wild type and tylosin over expressing mutant γ -1 of <i>Streptomyces fradiae</i> NRRL-2702	116
Chapter 4	General Discussion and Conclusions	120
Chapter 5	References	136