

# TABLE OF CONTENTS

<b>Description</b>		<b>Page</b>
Table of Contents		(i)
List of Tables		(v)
List of Figures		(vii)
List of Appendices		(ix)
<b>Chapter</b>	<b>1 INTRODUCTION</b>	<b>1</b>
	1.1 Preamble	1
	1.2 Objectives of Study	3
	1.3 Methodology	4
<b>Chapter</b>	<b>2 SIGNALIZED INTERSECTIONS – CONCEPT</b>	<b>5</b>
	2.1 General	5
	2.2 Terminology and Key Definitions	5
	2.3 Traffic Flow Characteristics at Signalized Intersection	8
	2.3.1 Performance Measures	9
	2.3.2 Discharge Headway, Lost Time and Saturation Flow	10
	2.3.2.1 Discharge Headway	10
	2.3.2.2 Lost Time	13
	2.3.2.3 Effective green & Red Time	14
	2.3.2.4 Saturation Flow	15
	2.4 Capacity and Level of Service Concepts	16
	2.4.1 Capacity	16
	2.4.2 Level of Service	17
	2.4.3 Factors Affecting Level of Service	19
	2.4.3.1 Base Conditions	19
	2.4.3.2 Roadway Conditions	20
	2.4.3.3 Traffic Conditions	20
	2.4.3.4 Control Conditions	21

<b>Chapter</b>	<b>3</b>	<b>LITERATURE SURVEY</b>	<b>22</b>
	3.1	General	22
	3.2	Departure Headway	22
	3.3	Capacity	24
	3.4	Level of Service	25
	3.5	Saturation Flow	26
		3.5.1 Cycle Profile	27
	3.6	Relationship of Saturation Flow to Optimum Signal Time	28
	3.7	Estimation of Saturation Flow	29
		3.7.1 Effect of Approach Width	29
		3.7.2 Effect of Gradient	31
		3.7.3 Effect of Site Characteristics	32
		3.7.4 Effect of Composition of Traffic	33
		3.7.5 Effect of Right Turning Traffic	35
		3.7.6 Effect of Left Turning Traffic	35
		3.7.7 Effect of Parked Vehicles	36
	3.8	Heterogeneous Traffic	36
		3.8.1 Difference between Heterogeneous and Homogeneous Traffic Flow	37
	3.9	Passenger Car Unit (PCU)	38
		3.9.1 Factors Affecting PCU Values	38
		3.9.2 Determination of PCU	39
 <b>Chapter</b>	 <b>4</b>	 <b>METHODS FOR MEASURING SATURATION FLOW</b>	 <b>44</b>
	4.1	General	44
	4.2	Measurement Technique	44
	4.3	Measurement Methods	45
		4.3.1 Road Research Laboratory Method	45
		4.3.2 Recorder Method	45
		4.3.2.1 Typewriter Method	46

	4.3.2.2	The Rustrak Four Channel Event Recorder Method	46
	4.3.3	Battery Operated Cassette Recorder Method	46
	4.3.4	Time Lapse Photography Method	47
	4.3.5	Video Tape Recorder Method	47
	4.3.6	Use of Mobile Traffic Laboratory	48
	4.3.7	GIS Based Method	50
	4.4	Method Used in this study	50
<b>Chapter</b>	<b>5</b>	<b>EXPERIMENTAL INVESTIGATIONS</b>	<b>51</b>
	5.1	General	51
	5.2	Selection of Sites	51
	5.3	Study Timings	52
	5.4	Materials and Equipment	56
	5.5	Data Collection and Analysis for PCU	57
	5.6	Data Collection at Shahra-e-Faisal	58
	5.6.1	PCU Equivalents for Passenger Cars	58
	5.6.2	PCU Equivalents for Motorcycle	59
	5.6.3	PCU Equivalents for Minibuses	59
	5.6.4	PCU Equivalents for Vans	59
	5.6.5	PCU Equivalents for Rickshaw	60
	5.6.6	PCU Equivalents for Buses/Trucks	60
	5.7	Data Collection at M.A. Jinnah Road	61
	5.7.1	PCU Equivalents for Passenger Cars	61
	5.7.2	PCU Equivalents for Minibuses	61
	5.7.3	PCU Equivalents for Buses/Trucks	61
	5.7.4	PCU Equivalents for Vans	62
	5.7.5	PCU Equivalents for Rickshaw	62
	5.7.6	PCU Equivalents for Motorcycle	62
	5.8	Comparison of PCU Values of Shahra-e-Faisal and M.A. Jinnah Road	64
	5.8	Comparison of PCU Values of Shahra-e-Faisal and M.A. Jinnah Road With PCU Values in Other Countries	64

	5.10	Measurement of Approach Width	64
	5.11	Saturation Flow Data Collection and Analysis (For both Arterials)	67
	5.12	Lost Time	71
<b>Chapter</b>	<b>6</b>	<b>SATURATION FLOW &amp; LOST TIME ANALYSIS &amp; DISCUSSION OF RESULTS</b>	<b>80</b>
	6.1	General	80
	6.2	Saturation Flow and Approach Width	80
	6.3	Effect of Composition of Traffic	81
	6.4	Comparison of Observed & Estimated Saturation Flow	84
	6.5	Comparison of both Arterials of Present Study	87
	6.6	Generalized Model and its Comparison	87
	6.7	Comparison of Present Study with Earlier Studies	90
<b>Chapter</b>	<b>7</b>	<b>CONCLUSIONS</b>	<b>92</b>
	7.1	General	92
	7.2	Future Scope	94
	7.3	Recommendations / Suggestions	95
<b>References</b>			<b>96</b>
<b>Appendices</b>			<b>106</b>