

List of Tables

1. Sources of Atmospheric Dust
2. Air Quality Monitoring Analyzers and Samplers
3. Pollutant Standard and Observations at Chowk Yateem Khana
4. Pollutant Standard and Observations at Azadi Chowk
5. Pollutant Standard and Observations at Shalimar Hospital
6. Pollutant Standard and Observations at Qurtaba Chowk
7. Pollutant Standard and Observations at Bank Square
8. Pollutant Standard and Observations at Ichra
9. Pollutant Standard and Observations at Air Port
10. Elements Concentration in PM_{2.5} Mass Measured at Johar Town
11. Ambient PM_{2.5} and indoor PM_{2.5} estimated concentration at Johar Town

List of Figures

- Fig.1. Location of Sampling Sites
- Fig.2: The spatial and temporal concentration variations of TSP, PM₁₀ and noise level (48hrs average) in Lahore
- Fig.3: Spatial and Temporal Concentration Variations of Gases (48hrs average) in Lahore
- Fig.4(a): Diurnal Variation of Pollutants and Traffic Density at Chowk Yateem Khana during fall/autumn study.
- Fig.4(b): Diurnal Variation of Pollutants and Traffic Density at Chowk Yateem Khana during summer study
- Fig.5(a): Diurnal Variation of Pollutants and Traffic Density at Azadi Chowk during fall/autumn study.
- Fig.5 (b): Diurnal Variation of Pollutants and Traffic Density at Azadi Chowk during summer study
- Fig.6(a): Diurnal Variation of Pollutants and Traffic Density at Shalimar Hospital during fall/autumn study.
- Fig.6(b): Diurnal Variation of Pollutants and Traffic Density at Shalimar Hospital during summer study.
- Fig.7(a): Diurnal Variation of Pollutants and Traffic Density at Qurtaba Chowk during fall/autumn study.
- Fig.7(b): Diurnal Variation of Pollutants and Traffic Density at Qurtaba Chowk during summer study.
- Fig.8(a): Diurnal Variation of Pollutants and Traffic Density at Bank Square during fall/autumn study.
- Fig.8(b): Diurnal Variation of Pollutants and Traffic Density at Bank Square summer study.
- Fig.9(a): Diurnal Variation of Pollutants and Traffic Density at Ichra during fall/autumn study.
- Fig.9 (b): Diurnal Variation of Pollutants and Traffic Density at Ichra summer study.
- Fig.10(a): Diurnal Variation of Pollutants and Traffic Density at Air Port during fall/autumn study.
- Fig.10 (b): Diurnal Variation of Pollutants and Traffic Density at Air Port summer study.

- Fig.11: Wind Rose present seasonal prominent wind direction and average Wind speed at Lahore
- Fig.12: Air trajectories
- Fig.13: Comparison of Max. TSP recorded in Lahore with that in major cities of Pakistan
- Fig.14: Mean concentration (48hrs) of TSP in major cities and Lahore
- Fig.15: Max Concentration of PM₁₀ in Lahore and other major cities
- Fig 16: Mean conc. of PM₁₀ (48 hrs) in Lahore and other major cities of Pakistan
- Fig 17: Mean Conc. of NO_x in Lahore and other major cities of Pakistan
- Fig. 18: Mean (48 hrs) SO₂ conc. in Lahore and other major cities of Pakistan
- Fig. 19. Mean Conc. of Ozone in Lahore and major cities of Pakistan
- Fig.20: Mean Conc. of CO in Lahore and other major cities of Pakistan
- Fig. 21: Average conc. (48 hrs) of Methane Hydrocarbon concentration in Lahore and other cities of Pakistan
- Fig. 22. Average conc. (48 hrs) of Non Methane Hydrocarbon concentration in Lahore and other cities of Pakistan
- Fig.23: PM_{2.5} Concentration during Nov. 2005 to December 2006
- Fig.24: Backward air trajectory direction (72hrs)
- Fig25: Source profile resolved from PM_{2.5} mass
- Fig.26: Contribution of identified sources to PM_{2.5} mass at Lahore
- Fig.27: Correlation between measured and calculated PM_{2.5} mass