

CONTENTS

Abstract	i
Contents	ii
List of Abbreviations	xiii
List of Table	xix
List of Schemes	xxii
List of Figures	xxvi

CHAPTER 1

1. INTRODUCTION	1
1.1 Polyamides	2
1.1.1 Hydrogen bonding in polyamides	4
1.1.2 Crystallinity in polyamides	6
1.1.3 Synthetic routes to polyamides	8
1.1.3.1 Low-temperature polycondensation	8
1.1.3.2 Solution polycondensation of diamines and diacid chlorides	8
1.1.3.3 Interfacial polycondensation technique	8
1.1.3.4 Polyamides <i>via</i> direct polycondensation of dicarboxylic acids and diamines	9
1.1.3.5 Polycondensation of diisocyanates and dicarboxylic acids	10
1.1.3.6 Polycondensation of N-silylated diamines and diacid chlorides	10
1.1.3.7 Microwave-assisted polycondensation	11

1.1.3.8	Alternative polymerization methods	11
1.1.4	Structure-property relationship in polyamides	11
1.1.4.1	Flexible linkages in polyamides	12
1.1.4.2	Polyamides containing pendant alkyl or aryl group	13
1.1.4.3	Fluorinated polyamides	15
1.1.4.4	Substituted isophthalic acid monomers	15
1.1.5	Polyamides with specialty properties and applications	16
1.1.5.1	Optically active polyamides	17
1.1.5.2	Polyamides in membrane technologies	18
1.1.5.3	Polyamides with selective receptors and environmental applications	20
1.1.5.4	Polyamides with outstanding thermal stability and flame retardancy	22
1.2	Poly(amide-imide)s	23
1.2.1	Synthesis of poly(amide-imide)s	24
1.2.1.1	Amide-imide forming reaction	24
(a)	Acid chloride or acid route	24
(b)	Diisocyanate route	25
(c)	Hydrazide route	26
1.2.1.2	Formation of imide linkage <i>via</i> monomers containing amide unit	26
1.2.1.3	Formation of amide linkage <i>via</i> monomers containing imide unit	27
1.2.2	Structure property relationship in poly(amide-imide)s	27
1.2.3	Poly(amide-imide)s with specialty properties and applications	30
1.3	Polyimides	33
1.3.1	Synthetic routes to polyimides	34

1.3.1.1	Conventional two-step method <i>via</i> poly(amic-acid)s	34
	(a) Thermal imidization of poly(amic-acid)s	34
	(b) Chemical imidization of poly(amic-acid)s	35
	(c) Solution imidization of poly(amic-acid)s	37
1.3.1.2	Polyimides <i>via</i> poly(amic-ester)s or poly(amic-amide)s precursors	37
1.3.1.3	Polyimides <i>via</i> polyisoimide precursors	38
1.3.1.4	Single-step imidization using high temperatures	38
1.3.1.5	Polyimides <i>via</i> reacting dianhydrides and diisocyanates	40
1.3.1.6	Metal catalyzed carbon-carbon coupling route to polyimide formation	41
1.3.2	Structure-property relationship in aromatic polyimides	41
1.3.3	Applications of polyimides	41
	1.3.3.1 Polyimides in fuel cell application	41
	1.3.3.2 Polyimides in LCD technology	43
	1.3.3.3 Polyimide membranes for bio-gas purification	46
	1.3.3.4 Miscellaneous uses of polyimides	47
1.4	Polyurethanes	47
	1.4.1 Hydrogen bonding in polyurethanes	48
	1.4.2 Reactivity of isocyanate group	49
	1.4.3 Synthetic methodologies for polyurethanes	53
	1.4.3.1 Synthesis of [n]-polyurethanes using a versatile and mild reagent	53
	1.4.3.2 Synthesis of AB type aromatic polyurethane <i>via</i> pyrolysis	54
	1.4.3.3 Polyurethane <i>via</i> non-isocyanate synthetic method	54

1.4.3.4	Polyurethane <i>via</i> ring opening polymerization (ROP)	55
1.4.3.5	Phosgenation route to polyurethanes	56
1.4.3.6	Synthetic methods for segmented polyurethane elastomers	58
1.4.4	Structure-Property relationship in polyurethanes	61
1.4.5	Applications of polyurethanes	62
1.5	Experimental techniques employed in present work	63
1.5.1	Fourier transform infrared (FTIR) Spectroscopy	64
1.5.2	Nuclear magnetic resonance (NMR) Spectroscopy	65
1.5.3	Elemental analysis	66
1.5.4	Solubility assessment	66
1.5.5	Inherent viscosity	67
1.5.6	Gel permeation chromatography (GPC)	72
1.5.7	Thermogravimetric analysis (TGA)	74
1.5.8	Differential scanning calorimetry (DSC)	74
1.5.9	Dynamic mechanical analysis	76
1.5.10	X-ray diffraction	77
1.5.11	Flame retardancy (Limiting Oxygen Index)	78
1.5.12	Solid-liquid extraction tests	78
1.5.13	Chemical resistance	79
1.6	Present Work	79
1.6.1	Aromatic and aromatic-aliphatic poly(thiourea-amide)s	83
1.6.2	Poly(thiourea-amide-imide)s	85
1.6.3	Poly(thiourea-ether-imide)s and poly(phenylthiourea-azomethine-imide)s	87

1.6.4	Thiourea-derived polyurethanes	90
1.6.5	Novelty and scope of the current research endeavor	94
CHAPTER 2		
2.	EXPERIMENTAL	95
2.1	Chemicals	95
2.2	Synthesis of aromatic and semi-aromatic poly(thiourea-amide)s from thiourea-based flexible diacid chlorides	102
2.2.1	General procedure for the preparation of diisothiocyanates (DITCs)	102
2.2.2	Synthesis of terephthaloyl bis(3-(3-carboxyphenyl) thiourea) (DACa)	102
2.2.3	Synthesis of terephthaloyl bis(3-(3-chlorocarbonylphenyl) thiourea) (DACLa)	106
2.2.4	Polyamide synthesis	109
2.3	Synthesis of poly(thiourea-amide)s using 1-(4-aminobenzoyl)-3-(3-aminophenyl) thiourea	112
2.3.1	Preparation of 4-nitrobenzoyl isothiocyanates (NBITC)	112
2.3.2	Synthesis of 1-(4-nitrobenzoyl)-3-(3-nitrophenyl) thiourea (NBNPT)	112
2.3.3	Synthesis of 1-(4-aminobenzoyl)-3-(3-aminophenyl) thiourea (ABAPT)	114
2.3.4	Synthesis of PAMs	117
2.4	Synthesis of novel aromatic and aromatic-aliphatic poly(thiourea-amide)s (PTAMs)	119
2.4.1	Procedure for the preparation of diisothiocyanates (DITCs)	119
2.4.2	Synthesis of terephthaloyl bis (3-(3-nitrophenyl) thiourea (BNPTa)	119
2.4.3	Synthesis of terephthaloyl bis (3-(3-aminophenyl) thiourea) (BAPTa)	122
2.4.4	Synthesis of PTAMs	125

2.5	Synthesis of poly(thiourea-amide-imide)s using 1-(1,3-dioxo-2-(4-aminophenyl)isoindolin-5-yl)carbonyl-3-(4-aminophenyl)thiourea	130
2.5.1	Preparation of trimellitic anhydride isothiocyanate (TMAI)	130
2.5.2	Synthesis of 1-(1,3-dioxo-2-(4-nitrophenyl)isoindolin-5-yl) carbonyl-3-(4-nitrophenyl)thiourea (DNICNT)	131
2.5.3	Synthesis of 1-(1,3-dioxo-2-(4-aminophenyl)isoindolin-5-yl)carbonyl-3-(4-aminophenyl)thiourea (DAICAT)	133
2.5.4	Synthesis of PAIs	135
2.6	Synthesis of poly(thiourea-amide-imide)s using CPDITNC	137
2.6.1	Preparation of trimellitic anhydride isothiocyanate (TMAI)	137
2.6.2	Synthesis of 2-(3-(2-(3-carboxypyridin-2-yl)-1,3-dioxoisoindoline-5-carbonyl) thioureido)nicotinic acid (CPDITNA)	138
2.6.3	Synthesis of 2-(3-(2-(3-(chlorocarbonyl)pyridin-2-yl)-1,3-dioxoisoindoline-5-carbonyl)thioureido)nicotinoylchloride (CPDITNC)	140
2.6.4	Synthesis of PTAIs	141
2.7	Synthesis of poly(thiourea-ether-imide)s from 4,4'-oxydiphenyl bis(thiourea)	145
2.7.1	Synthesis of 4,4'-oxydiphenyl bis(thiourea) (ODPBT)	145
2.7.2	Preparation of polymers	147
2.8	Synthesis of poly(phenylthiourea-azomethine-imide)s based on N-(4-chloro-3-aminobenzal)N'(4-aminophenyl)thiourea	149
2.8.1	Synthesis of N-(4-chloro-3-nitrobenzal)N'(4-nitrophenyl) thiourea (CNBPT)	149
2.8.2	Synthesis of N-(4-chloro-3-aminobenzal)N'(4-aminophenyl) thiourea (CABPT)	152
2.8.3	Preparation of polyimides	154
2.9	Synthesis of poly(phenylthiourea-azomethine-imide)s based on 1,4-phenylene bis((E)-1-(4-chloro-3-aminobenzylidene)thiourea)	156

2.9.1	Synthesis of 1,4-phenylene bis((<i>E</i>)-1-(4-chloro-3-nitrobenzylidene)-thiourea) (PCNBT)	156
2.9.2	Synthesis of 1,4-phenylene bis((<i>E</i>)-1-(4-chloro-3-aminobenzylidene)thiourea) (PCABT)	159
2.9.3	Preparation of poly(phenylthiourea-azomethine-imide)s (PPTAIs)	162
2.10	Synthesis of poly(urethane-thiourea)s from thiourea-based diol chain extenders	163
2.10.1	Preparation of terephthaloyl diisothiocyanate (TDI)	163
2.10.2	Synthesis of thiourea-based chain extenders	164
2.10.3	Synthesis of segmented PURs (one-step procedure)	168
2.11	Synthesis of poly(urethane-thiourea-imide)s using IPCT	171
2.11.1	Synthesis of 1-(3-hydroxyphenyl)thiourea	171
2.11.2	Synthesis of 3-(3-((4-isocyanatophenyl)carbamoyl)thioureido)phenyl-4-isocyanatophenylcarbamate (IPCT)	171
2.11.3	Synthesis of isocyanate terminated prepolymer	173
2.11.4	Synthesis of segmented poly(urethane-thiourea-imide)s	174
2.11.5	Film casting	178
2.12	Synthesis of poly(urethane-azomethine-thiourea)s from 1,4-phenylene bis((<i>E</i>)-1-(4-hydroxybenzylidene)thiourea)	178
2.12.1	Synthesis of 1,4-phenylene bis((<i>E</i>)-1-(4-hydroxybenzylidene)thiourea) (PBHBT)	178
2.12.2	Synthesis of segmented PUATs (one-step procedure)	181
2.12.3	Film casting	182
2.13	Synthesis of poly(urethane-thiourea)s from IBPCOT diisocyanate	184
2.13.1	Preparation of isophthaloyl diisothiocyanate (IDI)	184
2.13.2	Synthesis of isophthaloyl bis (3-(3-hydroxyopyridyl) thiourea) (IBHPT)	184

2.13.3	Synthesis of isophthaloyl bis (3-((4-isocyanatophenylcarbamoxy)pyridyl) thiourea) (IBPCOT)	184
2.13.4	Synthesis of poly(urethane-thiourea)s (PUTs)	187
2.14	Measurements	191
CHAPTER 3		
3.	RESULTS AND DISCUSSION	193
3.1	Aromatic and semi-aromatic poly(thiourea-amide)s (PAMDs) derived from DACLa-d	193
3.1.1	Organosolubility of PAMDs	195
3.1.2	Viscometry and molecular weight measurements of PAMDs	196
3.1.3	Thermal analyses of PAMDs	197
3.1.4	X-ray powder diffraction of PAMDs	199
3.2	Poly(thiourea-amide)s (PAMs) based on ABAPT	200
3.2.1	Organosolubility of PAMs	201
3.2.2	Viscometry and molecular weight measurements of PAMs	202
3.2.3	Thermal stability and flame retardancy of PAMs	203
3.2.4	X-ray powder diffraction of PAMs	206
3.3	Aromatic and aromatic-aliphatic poly(thiourea-amide)s (PTAMs) derived from BAPT-a-d	207
3.3.1	Organosolubility of PTAMs	207
3.3.2	Viscometry and molecular weight measurements of PTAMs	209
3.3.3	Thermal analyses of PTAMs	210
3.3.4	X-ray powder diffraction of PTAMs	214
3.3.5	Solid–liquid extraction of toxic metal ions by poly(thiourea-amide)s	216

3.4	Poly(thiourea-amide-imide)s (PAIs) from DAICAT	218
3.4.1	Organosolubility of PAIs	219
3.4.2	Viscometry and molecular weight measurements of PAIs	220
3.4.3	Thermal stability and flame retardancy of PAIs	222
3.4.4	X-ray powder diffraction of PAIs	224
3.5	Poly(thiourea-amide-imide)s (PTAIs) bearing C=S and pyridine moieties in the backbone	225
3.5.1	Organosolubility of PTAIs	226
3.5.2	Viscometry and molecular weight measurements of PTAIs	227
3.5.3	Thermal analyses of PTAIs	229
3.5.4	X-ray powder diffraction of PTAIs	231
3.6	Poly(thiourea-ether-imide)s (PTEIs)	232
3.6.1	Organosolubility of PTEIs	233
3.6.2	Viscometry and molecular weight measurements of PTEIs	234
3.6.3	Thermal stability and flame retardancy of PTEIs	235
3.6.4	X-ray powder diffraction of PTEIs	238
3.7	New generation of poly(phenylthiourea-azomethine-imide)s (PIs)	239
3.7.1	Organosolubility of PIs	240
3.7.2	Viscometry and molecular weight measurements of PIs	241
3.7.3	Thermal stability of PIs	242
3.7.4	X-ray powder diffraction of PIs	244
3.8	Poly(phenylthiourea-azomethine-imide)s (PPTAIs)	245
3.8.1	Organosolubility of PPTAIs	246

3.8.2	Viscometry and molecular weight measurements of PPTAIs	247
3.8.3	Thermal stability of PPTAIs	247
3.8.4	X-ray powder diffraction of PPTAIs	250
3.9	Poly(urethane-thiourea)s (PURs) derived from TBHPT/TBNT	251
3.9.1	Organosolubility of PURs	252
3.9.2	Viscometry and molecular weight measurements of PURs	253
3.9.3	Thermal stability of PURs	253
3.9.4	XRD powder analysis of PURs	256
3.10	Poly(urethane-thiourea-imide)s (PUTIs)	257
3.10.1	Organosolubility of PUTIs	258
3.10.2	Viscometry and molecular weight measurements of PUTIs	258
3.10.3	Thermal stability of PUTIs	260
3.10.4	Crystallinity of PUTIs	263
3.10.5	Chemical resistance of poly(urethane-thiourea-imide)s	264
3.11	Poly(urethane-azomethine-thiourea)s (PUATs) from PBHBT	265
3.11.1	Organosolubility of PUATs	266
3.11.2	Viscometry and molecular weight measurements of PUATs	267
3.11.3	Thermal analysis of PUATs	267
3.11.4	Flame retardancy of PUATs	270
3.11.5	Crystallinity of PUATs	270
3.11.6	Chemical resistance of poly(urethane-azomethine-thiourea)s	270
3.12	Poly(urethane-thiourea)s (PUTs) from IBPCOT	271
3.12.1	Organosolubility of PUTs	272

3.12.2	Molecular weight analyses of PUTs	273
3.12.3	Thermal stability of PUTs	274
3.12.4	XRD powder analysis of PUTs	276
3.13	Brief outline of distinctive features of poly(thiourea-amide)s	277
3.14	Brief outline of distinctive features of poly(thiourea-amide-imide)s	279
3.15	Brief outline of distinctive features of poly(thiourea-ether-imide)s	280
3.16	Brief outline of distinctive features of poly(phenylthiourea-azomethine-imide)s	280
3.17	Brief outline of distinctive features of thiourea-based polyurethanes	281
3.18	Conclusions	283
3.19	Future prospects	288
	REFERENCES	289
	LIST OF PUBLICATIONS	326